Index to volume 132

AUTHOR INDEX*

A

Aagaard B (*see* Stewart et al). 2002;132:408-14
Abecassis MM (*see* Kaufman et al). 2002;132:545-54
Agarwal G, Mishra SK, Kar DK, Singh AK, Arya V, Gupta SK, Mithal A. Recovery pattern of patients with osteitis fibrosa cystica in primary hyperparathyroidism after successful parathyroidectomy. 2002;132:1075-85
Ailawadi G, Yahanda A, Dimick JB, Bedi A, Mulholland MW, Colletti L, Sweeney JF. Hand-assisted laparoscopic splenectomy in patients with splenomegaly or prior upper abdominal operation. 2002;132:689-96
Åkerström G (*see* Correa et al). 2002;132:450-5
Alam HB, Bowyer MW, Koustova E, Gushchin V, Anderson D, Stanton K, Kreishman P, Cryer CMT, Hancock T, Rhee P. Learning and memory is preserved after induced asanguineous hyperkalemic hypothermic arrest in a swine model of traumatic exsanguination. 2002;132:278-88
Alam J (*see* Weldon et al). 2002;132:293-301
Albo D (*see* Wang et al). 2002;132:220-5
Alesina PF (*see* Arnalsteen et al). 2002;132:2019-25
Alesina PF (*see* Bellantone et al). 2002;132:2009-13
Alexander HR (*see* Elaraj et al). 2002;132:1028-34
Almqvist EG, Bondeson AG, Bondeson L, Nissborg A, Smedgårel, Svensson SE. Cardiac dysfunction in mild primary hyperparathyroidism assessed by radionuclide angiography and echocardiography before and after parathyroidectomy. 2002;132:2026-32
Alsberg E (*see* Grikscheit et al). 2002;132:200-4
Amano A (*see* Hirose et al). 2002;132:57-65
Ambady N, LaPlante D, Nguyen T, Rosenthal R, Chaumeton N, Levinson W. Surgeons' tone of voice: a clue to malpractice history. 2002;132:5-9
Amling C (*see* Moul et al). 2002;132:213-9
Anderson D (*see* Alam et al). 2002;132:278-88
Andersson A (*see* Carlsson et al). 2002;132:487-94
Aoki T (*see* Avital et al). 2002;132:383-90
Aoyagi K, Kohfuji K, Yano S, Murakami N, Miyagi M, Takeda J, Shirouzu K. The expression of proliferating cell nuclear antigen, p53, p21, and apoptosis in primary gastric lymphoma. 2002;132:20-6
Argenzio RA (*see* Gayle et al). 2002;132:461-70
Arnalsteen LC, Alesina PF, Quiereux JL, Farrel SG, Patton FN, Carnaille BM, Cardot-Bauters CM, Wemeau JL, Proye CAG. Long-term results of less than total parathyroidectomy for hyperparathyroidism in multiple endocrine neoplasia type 1. 2002;132:2019-25
Arrigain S (*see* Dietz et al). 2002;132:582-8
Arteaga JR (*see* Huerta et al). 2002;132:844-8
Arya V (*see* Agarwal et al). 2002;132:1075-85
Asai S (*see* Ishii et al). 2002;132:849-56
Asi Z (*see* Kirman et al). 2002;132:186-92
Averbook BJ, Fu P, Rao JS, Mansour EG. A long-term analysis of 1018 patients with melanoma by classic Cox regression and tree-structured survival analysis at a major referral center: implications on the future of cancer staging. 2002;132:589-604
Avital I, Feraresso C, Aoki T, Hui T, Rozga J, Demetriou A, Muraca M. Bone marrow-derived liver stem cell and mature hepatocyte engraftment in livers undergoing rejection. 2002;132:384-90
Ayesh S (*see* Schachter et al). 2002;132:1094-9

*July, pp 1-114; August, pp 115-420; September, pp 421-538; October, pp 539-782; November, 783-908; December 909-1160.

B

Badgwell B, Parihar R, Magro C, Dierksheide J, Russo T, Carson WE III. Natural killer cells contribute to the lethality of a murine model of *Escherichia coli* infection. 2002;132:205-12
Baird AW (*see* Dowdall et al). 2002;132:1-4
Baker ME (*see* Remzi et al). 2002;132:655-62
Baker ME (*see* Walsh et al). 2002;132:628-34
Baker WH. Presidential address: we have met the enemy. 2002;132:539-44
Baker WH (*see* Sheehan et al). 2002;132:761-6
Barbul A (*see* Most et al). 2002;132:866-76
Barnes D (*see* Vogt et al). 2002;132:775-80
Barth P (*see* Zielke et al). 2002;132:1056-63
Bartlett DL (*see* Elaraj et al). 2002;132:1028-34
Basnyat PS (*see* Natarajan et al). 2002;132:533-4
Bates PJ (*see* Inge et al). 2002;132:232-8
Bauer T, Wechselberger G, Schoeller T, Piza-Katzer H. Lymphedema praecox of the lower extremity. 2002;132:899-900
Bauer TW (*see* Kelley et al). 2002;132:252-8
Baumann HW (*see* Jobe et al). 2002;132:112-4
Beauchamp RD (*see* Berger et al). 2002;132:310-6
Beavers FP (*see* Lee et al). 2002;132:399-407
Becker CM (*see* Tseng et al). 2002;132:857-65
Beckman BS (*see* Weldon et al). 2002;132:293-301
Bedi A (*see* Ailawadi et al). 2002;132:689-96
Bedolli M (*see* Chang et al). 2002;132:149-56
Beebe TM (*see* Buell et al). 2002;132:754-60
Behrns KE (*see* Samson et al). 2002;132:441-9
Bellantone R, Lombardi CP, Raffaelli M, Boscherini M, Alesina PF, De Crea C, Traini E, Princi P. Is routine supplementation therapy (calcium and vitamin D) useful after total thyroidectomy. 2002;132:2009-13
Ben-Porat L (*see* Stanziale et al). 2002;132:353-9
Berdah S (*see* Savanet et al). 2002;132:836-43
Berger DH, Feng XH, Yao J, Saha D, Beauchamp RD, Lin X. Resistance to transforming growth factor-beta occurs in the presence of normal Smad activation. 2002;132:310-6
Berger R (*see* Hassett et al). 2002;132:635-41
Bergsten P (*see* Carlsson et al). 2002;132:487-94
Bertagnolli MM (*see* Cole et al). 2002;132:115-8
Berti P (*see* Miccoli et al). 2002;132:1070-4
Bessler M (*see* Kirman et al). 2002;132:186-92
Bhama JK, Ogren JW, Lee T, Fisher WE. Bouveret's syndrome. 2002;132:104-5
Bierksheide J (*see* Badgwell et al). 2002;132:205-12
Bilbao G (*see* Eckhoff et al). 2002;132:302-9
Billiar TR (*see* Carty et al). 2002;132:682-8
Bird MA (*see* Samson et al). 2002;132:441-9
Birkmeyer JD (*see* Finlayson et al). 2002;132:787-94
Biscotti CV (*see* Walsh et al). 2002;132:628-34
Bisgaard T, Klarskov B, Kehlet H, Rosenberg J. Recovery after uncomplicated laparoscopic cholecystectomy. 2002;132:817-25
Black MJ (*see* Nakeeb et al). 2002;132:555-64
Blikslager AT (*see* Gayle et al). 2002;132:461-70
Bockhorn M (*see* Gimm et al). 2002;132:952-9
Bohmer RMJ, Newell J, Torchiana DF. The effect of decreasing length of stay on discharge destination and readmission after coronary bypass operation. 2002;132:10-5
Bondeson AG (*see* Almqvist et al). 2002;132:2026-32
Bondeson L (*see* Almqvist et al). 2002;132:2026-32
Bordage G (*see* Prystowsky et al). 2002;132:663-72
Borsiczky B (*see* Ferencz et al). 2002;132:877-84
Boscherini M (*see* Bellantone et al). 2002;132:2009-13
Bouchier-Hayes D (*see* Dowdall et al). 2002;132:1-4
Bowyer MW (*see* Alam et al). 2002;132:278-88

Index to volume 132

AUTHOR INDEX*

A

Aagaard B (*see* Stewart et al). 2002;132:408-14
Abecassis MM (*see* Kaufman et al). 2002;132:545-54
Agarwal G, Mishra SK, Kar DK, Singh AK, Arya V, Gupta SK, Mithal A. Recovery pattern of patients with osteitis fibrosa cystica in primary hyperparathyroidism after successful parathyroidectomy. 2002;132:1075-85
Ailawadi G, Yahanda A, Dimick JB, Bedi A, Mulholland MW, Colletti L, Sweeney JF. Hand-assisted laparoscopic splenectomy in patients with splenomegaly or prior upper abdominal operation. 2002;132:689-96
Åkerström G (*see* Correa et al). 2002;132:450-5
Alam HB, Bowyer MW, Koustova E, Gushchin V, Anderson D, Stanton K, Kreishman P, Cryer CMT, Hancock T, Rhee P. Learning and memory is preserved after induced asanguineous hyperkalemic hypothermic arrest in a swine model of traumatic exsanguination. 2002;132:278-88
Alam J (*see* Weldon et al). 2002;132:293-301
Albo D (*see* Wang et al). 2002;132:220-5
Alesina PF (*see* Arnalsteen et al). 2002;132:2019-25
Alesina PF (*see* Bellantone et al). 2002;132:2009-13
Alexander HR (*see* Elaraj et al). 2002;132:1028-34
Almqvist EG, Bondeson AG, Bondeson L, Nissborg A, Smedgårel, Svensson SE. Cardiac dysfunction in mild primary hyperparathyroidism assessed by radionuclide angiography and echocardiography before and after parathyroidectomy. 2002;132:2026-32
Alsberg E (*see* Grikscheit et al). 2002;132:200-4
Amano A (*see* Hirose et al). 2002;132:57-65
Ambady N, LaPlante D, Nguyen T, Rosenthal R, Chaumeton N, Levinson W. Surgeons' tone of voice: a clue to malpractice history. 2002;132:5-9
Amling C (*see* Moul et al). 2002;132:213-9
Anderson D (*see* Alam et al). 2002;132:278-88
Andersson A (*see* Carlsson et al). 2002;132:487-94
Aoki T (*see* Avital et al). 2002;132:383-90
Aoyagi K, Kohfuji K, Yano S, Murakami N, Miyagi M, Takeda J, Shirouzu K. The expression of proliferating cell nuclear antigen, p53, p21, and apoptosis in primary gastric lymphoma. 2002;132:20-6
Argenzio RA (*see* Gayle et al). 2002;132:461-70
Arnalsteen LC, Alesina PF, Quiereux JL, Farrel SG, Patton FN, Carnaille BM, Cardot-Bauters CM, Wemeau JL, Proye CAG. Long-term results of less than total parathyroidectomy for hyperparathyroidism in multiple endocrine neoplasia type 1. 2002;132:2019-25
Arrigain S (*see* Dietz et al). 2002;132:582-8
Arteaga JR (*see* Huerta et al). 2002;132:844-8
Arya V (*see* Agarwal et al). 2002;132:1075-85
Asai S (*see* Ishii et al). 2002;132:849-56
Asi Z (*see* Kirman et al). 2002;132:186-92
Averbook BJ, Fu P, Rao JS, Mansour EG. A long-term analysis of 1018 patients with melanoma by classic Cox regression and tree-structured survival analysis at a major referral center: implications on the future of cancer staging. 2002;132:589-604
Avital I, Feraresso C, Aoki T, Hui T, Rozga J, Demetriou A, Muraca M. Bone marrow-derived liver stem cell and mature hepatocyte engraftment in livers undergoing rejection. 2002;132:384-90
Ayesh S (*see* Schachter et al). 2002;132:1094-9

*July, pp 1-114; August, pp 115-420; September, pp 421-538; October, pp 539-782; November, 783-908; December 909-1160.

B

Badgwell B, Parihar R, Magro C, Dierksheide J, Russo T, Carson WE III. Natural killer cells contribute to the lethality of a murine model of *Escherichia coli* infection. 2002;132:205-12
Baird AW (*see* Dowdall et al). 2002;132:1-4
Baker ME (*see* Remzi et al). 2002;132:655-62
Baker ME (*see* Walsh et al). 2002;132:628-34
Baker WH. Presidential address: we have met the enemy. 2002;132:539-44
Baker WH (*see* Sheehan et al). 2002;132:761-6
Barbul A (*see* Most et al). 2002;132:866-76
Barnes D (*see* Vogt et al). 2002;132:775-80
Barth P (*see* Zielke et al). 2002;132:1056-63
Bartlett DL (*see* Elaraj et al). 2002;132:1028-34
Basnyat PS (*see* Natarajan et al). 2002;132:533-4
Bates PJ (*see* Inge et al). 2002;132:232-8
Bauer T, Wechselberger G, Schoeller T, Piza-Katzer H. Lymphedema praecox of the lower extremity. 2002;132:899-900
Bauer TW (*see* Kelley et al). 2002;132:252-8
Baumann HW (*see* Jobe et al). 2002;132:112-4
Beauchamp RD (*see* Berger et al). 2002;132:310-6
Beavers FP (*see* Lee et al). 2002;132:399-407
Becker CM (*see* Tseng et al). 2002;132:857-65
Beckman BS (*see* Weldon et al). 2002;132:293-301
Bedi A (*see* Ailawadi et al). 2002;132:689-96
Bedolli M (*see* Chang et al). 2002;132:149-56
Beebe TM (*see* Buell et al). 2002;132:754-60
Behrns KE (*see* Samson et al). 2002;132:441-9
Bellantone R, Lombardi CP, Raffaelli M, Boscherini M, Alesina PF, De Crea C, Traini E, Princi P. Is routine supplementation therapy (calcium and vitamin D) useful after total thyroidectomy. 2002;132:2009-13
Ben-Porat L (*see* Stanziale et al). 2002;132:353-9
Berdah S (*see* Savanet et al). 2002;132:836-43
Berger DH, Feng XH, Yao J, Saha D, Beauchamp RD, Lin X. Resistance to transforming growth factor-beta occurs in the presence of normal Smad activation. 2002;132:310-6
Berger R (*see* Hassett et al). 2002;132:635-41
Bergsten P (*see* Carlsson et al). 2002;132:487-94
Bertagnolli MM (*see* Cole et al). 2002;132:115-8
Berti P (*see* Miccoli et al). 2002;132:1070-4
Bessler M (*see* Kirman et al). 2002;132:186-92
Bhama JK, Ogren JW, Lee T, Fisher WE. Bouveret's syndrome. 2002;132:104-5
Bierksheide J (*see* Badgwell et al). 2002;132:205-12
Bilbao G (*see* Eckhoff et al). 2002;132:302-9
Billiar TR (*see* Carty et al). 2002;132:682-8
Bird MA (*see* Samson et al). 2002;132:441-9
Birkmeyer JD (*see* Finlayson et al). 2002;132:787-94
Biscotti CV (*see* Walsh et al). 2002;132:628-34
Bisgaard T, Klarskov B, Kehlet H, Rosenberg J. Recovery after uncomplicated laparoscopic cholecystectomy. 2002;132:817-25
Black MJ (*see* Nakeeb et al). 2002;132:555-64
Blikslager AT (*see* Gayle et al). 2002;132:461-70
Bockhorn M (*see* Gimm et al). 2002;132:952-9
Bohmer RMJ, Newell J, Torchiana DF. The effect of decreasing length of stay on discharge destination and readmission after coronary bypass operation. 2002;132:10-5
Bondeson AG (*see* Almqvist et al). 2002;132:2026-32
Bondeson L (*see* Almqvist et al). 2002;132:2026-32
Bordage G (*see* Prystowsky et al). 2002;132:663-72
Borsiczky B (*see* Ferencz et al). 2002;132:877-84
Boscherini M (*see* Bellantone et al). 2002;132:2009-13
Bouchier-Hayes D (*see* Dowdall et al). 2002;132:1-4
Bowyer MW (*see* Alam et al). 2002;132:278-88

Braga M, Gianotti L, Vignali A, Di Carlo V. Preoperative oral arginine and n-3 fatty acid supplementation improves the immunometabolic host response and outcome after colorectal resection for cancer. 2002;132:805-14
Bransom CJ (*see* Natarajan et al). 2002;132:533-4
Brauckhoff M (*see* Gimm et al). 2002;132:952-9
Brenner DA (*see* Samson et al). 2002;132:441-9
Briggs SM, Schnitzer JJ. The World Trade Center terrorist attack: changing priorities for surgeons in disaster response. 2002;132:506-12
Brody F (*see* Rosen et al). 2002;132:480-6
Brown N (*see* Walsh et al). 2002;132:628-34
Brown RA, Feldman LS. Reply: hockey groin syndrome. 2002;132:906-7 (Letter reply)
Brown WJ (*see* Diebel et al). 2002;132:573-81
Brunaud L (*see* Jones et al). 2002;132:944-51
Brunaud L (*see* Zarnegar et al). 2002;132:984-90
Buell JF, Husted T, Hanaway MJ, Peddi RV, Trofe J, Gross TG, Beebe TM, First MR, Woodle ES. Incidental diagnosis of gastric cancer in transplant recipients improves patient survival. 2002;132:754-60
Buerk DG (*see* Kelley et al). 2002;132:252-8
Bulger E (*see* Cuschieri et al). 2002;132:157-66
Bunnett NW (*see* Lightner et al). 2002;132:193-9
Burow ME (*see* Weldon et al). 2002;132:293-301
Bush HL (*see* Lee et al). 2002;132:399-407
Butler NN (*see* Weldon et al). 2002;132:293-301

C

Calvete J (*see* Escudero et al). 2002;132:894-5
Campos CT (*see* Hedeshian et al). 2002;132:239-44
Camps B (*see* Escudero et al). 2002;132:894-5
Capezzone M (*see* Miccoli et al). 2002;132:1070-4
Cardot-Bauters CM (*see* Arnalsteen et al). 2002;132:2019-25
Carey WD (*see* Vogt et al). 2002;132:775-80
Carling T (*see* Correa et al). 2002;132:450-5
Carlsson PO, Kiuru A, Nordin A, Olsson R, Lin JM, Bergsten P, Hillered L, Andersson A, Jansson L. Microdialysis measurements demonstrate a shift to nonoxidative glucose metabolism in rat pancreatic islets transplanted beneath the renal capsule. 2002;132:487-94
Carnaille BM (*see* Arnalsteen et al). 2002;132:2019-25
Carneiro DM, Irvin GL III, Inabnet WB. Limited versus radical parathyroidectomy in familial isolated primary hyperparathyroidism. 2002;132:1050-5
Carneiro DM, Levi JU, Irvin GI III. Rapid insulin assay for intraoperative confirmation of complete resection of insulinomas. 2002;132:937-43
Carrillo EH (*see* Stassen et al). 2002;132:642-7
Carson WE (*see* Badgwell et al). 2002;132:205-12
Carty SE, Colson YL, Garvey LS, Schuchert VD, Schwentker A, Tzeng E, Corcoran NA, Simmons RL, Webster MW, Billiar TR. Maternity policy and practice during surgery residency: how we do it. 2002;132:682-8
Carty SE, Roberts MM, Virji MA, Haywood L, Yim JH. Elevated serum parathyroidectomy for primary sporadic hyperparathyroidism. 2002;132:1086-93
Casson LK (*see* Inge et al). 2002;132:232-8
Cekic V (*see* Kirman et al). 2002;132:186-92
Chang GJ, Liu T, Feng S, Bedolli M, O'Rourke RW, Schmidt G, Roberts JP, Stock PG. Targeted gene therapy with CD40Ig to induce long-term acceptance of liver allografts. 2002;132:149-56
Chang JT (*see* Ko et al). 2002;132:268-73
Chaudhry S (*see* Ko et al). 2002;132:268-73
Chaumeton N (*see* Ambady et al). 2002;132:5-9
Chen H (*see* Sippel and Chen). 2002;132:1035-9
Chung A (*see* Moul et al). 2002;132:213-9
Church JM (*see* Remzi et al). 2002;132:655-62
Clark OH (*see* Dackiw et al). 2002;132:2000-8
Clark OH (*see* Jones et al). 2002;132:944-51
Clark OH (*see* Kanuchi et al). 2002;132:1021-7
Clark OH (*see* Zarnegar et al). 2002;132:984-90
Clayton JL (*see* Weldon et al). 2002;132:293-301
Cohen MS, Hussain HB, Moley JE. Inhibition of medullary thyroid carcinoma cell proliferation and RET phosphorylation by tyrosine kinase inhibitors. 2002;132:960-7
Cole DJ, Bertagnolli MM, Nussbaum M. Society of University Surgeons statement on surgical resident work hours and education. 2002;132:115-8
Colletti L (*see* Ailawadi et al). 2002;132:689-96
Colletti LM (*see* Sonnad and Colletti). 2002;132:415-9
Colombo-Benkmann M (*see* Zielke et al). 2002;132:1056-63
Colson YL (*see* Carty et al). 2002;132:682-8
Connor JT (*see* Remzi et al). 2002;132:655-62
Contreras JL (*see* Eckhoff et al). 2002;132:302-9
Conwell DI (*see* Walsh et al). 2002;132:628-34
Cook D (*see* Hawn et al). 2002;132:1064-9
Corcoran NA (*see* Carty et al). 2002;132:682-8
Correa P, Lundgren E, Rastad J, Åkerström G, Westin G, Carling T. Multiple endocrine neoplasia type 1 polymorphism D418D is associated with sporadic primary hyperparathyroidism. 2002;132:450-5
Cothren C (*see* Raeburn et al). 2002;132:896-8
Crabtree TD (*see* Jin et al). 2002;132:245-51
Crowe JP (*see* Dietz et al). 2002;132:582-8
Cryer CMT (*see* Alam et al). 2002;132:278-88
Cumming JK (*see* Wright et al). 2002;132:729-37
Cummiskey D (*see* Hassett et al). 2002;132:635-41
Curlee K (*see* Kendrick et al). 2002;132:1008-12
Cuschieri J, Gourlay D, Bulger E, Garcia I, Jelacic S, Maier RV. Platelet-activating factor priming of inflammatory cell activity requires cellular adherence. 2002;132:157-66
Cushman J (*see* Marcus et al). 2002;132:502-5
Czerniak A (*see* Schachter et al). 2002;132:1094-9

D

Dackiw APB, Rotstein LE, Clark OH. Computer-assisted evoked electromyography with stimulating surgical instruments for recurrent/external laryngeal nerve identification and preservation in thryoid and parathyroid operation. 2002;132:2000-8
Davis K Jr (*see* O'Brien et al). 2002;132:710-5
De Crea C (*see* Bellantone et al). 2002;132:2009-13
Dech F (*see* Silverstein et al). 2002;132:274-7
Delpassand ES (*see* Royal et al). 2002;132:968-75
Demetriou A (*see* Avital et al). 2002;132:383-90
Demeure MJ (*see* Nakeeb et al). 2002;132:555-64
Deveney C (*see* Hawn et al). 2002;132:1064-9
Deziel DJ (*see* Kim et al). 2002;132:738-47
Di Carlo V (*see* Braga et al). 2002;132:805-14
Diebel LN, Liberati DM, Dulchavsky SA, Diglio CA, Brown WJ. Ethanol impairs intestinal barrier defense by modulation of immunoglobulin A transport. 2002;132:573-81
Dietz JR, Crowe JP, Grundfest S, Arrigain S, Kim JA. Directed duct excision by using mammary ductoscopy in patients with pathologic nipple discharge. 2002;132:582-8
Diglio CA (*see* Diebel et al). 2002;132:573-81
Dimick JB (*see* Ailawadi et al). 2002;132:689-96
Doherty C, Maher JW, Heitshusen DS. Long-term data indicate a progressive loss in efficacy of adjustable silicone gastric banding for the surgical treatment of morbid obesity. 2002;132:724-8
Doi R, Fujimoto K, Wada M, Imamura M. Surgical management of intraductal papillary mucinous tumor of the pancreas. 2002;132:80-5
Domreis JS (*see* Jobe et al). 2002;132:112-4
Donahue PE, Horgan S, Liu KJM, Madura JA. Floppy Dor fundoplication after esophagocardiomyotomy for achalasia. 2002;132:716-23
Donahue T (*see* Moul et al). 2002;132:213-9
Doolas A (*see* Kim et al). 2002;132:738-47
Dousset B (*see* Savanet et al). 2002;132:836-43
Dowd CF (*see* Jones et al). 2002;132:944-51
Dowdall JF, Winter DC, Baird AW, Bouchier-Hayes D. Biological role and clinical implications of mast cells in surgery. 2002;132:1-4
Dowlatshahi K (*see* Maxhimer et al). 2002;132:326-33
Dralle H (*see* Gimm et al). 2002;132:952-9

Drosten M, Frilling A, Stiewe T, Pützer BM. A new therapeutic approach in medullary thyroid cancer treatment: inhibition of oncogenic RET signaling by adenoviral vector-mediated expression of a dominant-negative RET mutant. 2002;132:991-7
Dua KS (*see* Nakeeb et al). 2002;132:555-64
Duh QY (*see* Jones et al). 2002;132:944-51
Duh QY (*see* Kanuchi et al). 2002;132:1021-7
Duh QY (*see* Zarnegar et al). 2002;132:984-90
Duh QY (*see* Zielke et al). 2002;132:1056-63
Dulchavsky SA (*see* Diebel et al). 2002;132:573-81
Dumot JA (*see* Walsh et al). 2002;132:628-34
Duperier F (*see* Rosen et al). 2002;132:480-6
Dziadik E (*see* Hedeshian et al). 2002;132:239-44

E

Eckhoff DE, Bilbao G, Frenette L, Thompson JA, Contreras JL. 17-Beta-estradiol protects the liver against warm ischemia/reperfusion injury and is associated with increased serum nitric oxide and decreased tumor necrosis factor-alpha. 2002;132:302-9
Edison M (*see* Silverstein et al). 2002;132:274-7
Efron DT (*see* Most et al). 2002;132:866-76
Egawa S (*see* Mikami et al). 2002;132:86-92
Eichenberger MR (*see* Stassen et al). 2002;132:289-92
Einstein D (*see* Remzi et al). 2002;132:655-62
Elaraj DM, Remaley AT, Simonds WF, Skarulis MC, Libutti SK, Bartlett DL, Venson DJ, Marx SJ, Alexander HR. Utility of rapid intraoperative parathyroid hormone assay to predict severe postoperative hypocalcemia after reoperation for hyperparathyroidism. 2002;132:1028-34
Elisei R (*see* Miccoli et al). 2002;132:1070-4
Elliott MD (*see* Kaufman et al). 2002;132:545-54
Elliott S (*see* Weldon et al). 2002;132:293-301
Ellison EC (*see* Gould et al). 2002;132:565-72
Engum SA (*see* Ladd et al). 2002;132:748-53
Erickson BA (*see* Nakeeb et al). 2002;132:555-64
Erwin CR (*see* Juno et al). 2002;132:377-83
Escudero MD, Sabater L, Calvete J, Camps B, Labiós M, Lledó S. Arterial hypertension due to primary adrenal hydatid cyst. 2002;132:894-5
Espat NJ (*see* Silverstein et al). 2002;132:274-7
Evans DB (*see* Royal et al). 2002;132:968-75
Evers BM. Presidential address: the Society of University Surgeons in the 21st century-the mission, the vision, and the commitment to excellence. 2002;132:119-26
Evers BM (*see* Thomas et al). 2002;132:127-34

F

Fagniez PL (*see* Savanet et al). 2002;132:836-43
Fan M (*see* Maxhimer et al). 2002;132:326-33
Fanning A (*see* Rosen et al). 2002;132:480-6
Farley DR (*see* Kendrick et al). 2002;132:1008-12
Farndon JR (*see* Wong et al). 2002;132:988-1007
Farnebo FA (*see* Tseng et al). 2002;132:857-65
Farnell MB (*see* Sarmiento et al). 2002;132:976-83
Farrel SG (*see* Arnalsteen et al). 2002;132:2019-25
Farrow BJ (*see* Thomas et al). 2002;132:127-34
Fazio VW (*see* Remzi et al). 2002;132:655-62
Feinglass JM (*see* Prystowsky et al). 2002;132:663-72
Feith M (*see* Heidecki et al). 2002;132:495-501
Feldman LS (*see* Brown and Feldman). 2002;132:906-7 (Letter reply)
Feng S (*see* Chang et al). 2002;132:149-56
Feng, XH (*see* Berger et al). 2002;132:310-6
Feraresso C (*see* Avital et al). 2002;132:383-90
Ferencz A, Szántó Z, Barsiczky B, Kiss K, Kalmár-Nagy K, Szebeirényi J, Horváth PO, Róth E. The effects of preconditioning on the oxidative stress in small-bowel autotransplantation. 2002;132:877-84
Ferrando AA (*see* Thomas et al). 2002;132:341-7
Fink U (*see* Heidecki et al). 2002;132:495-501
Finlayson EVA, Birkmeyer JD, Stukel TA, Siewers AE, Lucas FL, Wennberg DE. Adjusting surgical mortality rates for patient comorbidities: more harm than good. 2002;132:787-94
First MR (*see* Buell et al). 2002;132:754-60
Fisher WE (*see* Bhama et al). 2002;132:104-5
Flye MW (*see* Kataoka et al). 2002;132:167-72
Foley J (*see* Moul et al). 2002;132:213-9
Folkman J (*see* Tseng et al). 2002;132:857-65
Fong Y (*see* Stanziale et al). 2002;132:353-9
Ford HR (*see* Ochoa and Ford). 2002;132:815-6
Forde KA (*see* Kirman et al). 2002;132:186-92
Fraker DL (*see* Kelley et al). 2002;132:252-8
Frame SB (*see* O'Brien et al). 2002;132:710-5
Freeman ML (*see* Wright et al). 2002;132:729-37
Frenette L (*see* Eckhoff et al). 2002;132:302-9
Frilling A (*see* Drosten et al). 2002;132:991-7
Frilling A (*see* Gimm et al). 2002;132:952-9
Fritsche HA Jr (*see* Royal et al). 2002;132:968-75
Fryer JP (*see* Kaufman et al). 2002;132:545-54
Fu P (*see* Averbook et al). 2002;132:589-604
Fujimoto K (*see* Doi et al). 2002;132:80-5
Fujino Y (*see* Tominaga et al). 2002;132:414-30
Fujita M (*see* Jin et al). 2002;132:72-9
Fujiwara Y (*see* Yoshioka et al). 2002;132:34-40
Fukumoto T (*see* Tominaga et al). 2002;132:414-30
Funami Y (*see* Shimada et al). 2002;132:41-7
Fung M (*see* Zarnegar et al). 2002;132:984-90
Furukawa H (*see* Jin et al). 2002;132:72-9

G

Gagel RF (*see* Royal et al). 2002;132:968-75
Galleri D (*see* Miccoli et al). 2002;132:1070-4
Gallon LG (*see* Kaufman et al). 2002;132:545-54
Galloway AC (*see* Hyman et al). 2002;132:173-9
Garcia I (*see* Cuschieri et al). 2002;132:157-66
Gardezi S (*see* Nguyen et al). 2002;132:537 (Letter)
Garrison RN (*see* Matheson et al). 2002;132:673-81
Garvey LS (*see* Carty et al). 2002;132:682-8
Gattuso P (*see* Maxhimer et al). 2002;132:326-33
Gauger PG (*see* Richards et al). 2002;132:1040-9
Gayle J, Jones SL, Argenzio RA, Blikslager AT. Neutrophils increase paracellular permeability of restituted ischemic-injured porcine ileum. 2002;132:461-70
Gelaw B, Levin S. Wound-induced angiogenesis and its pharmacologic inhibition in a murine model. 2001;130:497-501. Retraction 2002;132:525
Georgeson KE (*see* Inge et al).2002;132:232-8
Gheorghiade M (*see* Kaufman et al). 2002;132:545-54
Gianotti L (*see* Braga et al). 2002;132:805-14
Gigot JF (*see* Savanet et al). 2002;132:836-43
Gimm O, Niederle BE, Weber T, Bockhorn M, Ukkat J, Brauckhoff M, Thanh PN, Frilling A, Klar E, Niederle B, Dralle H. RET proto-oncogene mutations affecting codon 790/791: a mild form of multiple endocrine neoplasia type 2A syndrome. 2002;132:952-9
Ginzinger D (*see* Zarnegar et al). 2002;132:984-90
Giordano TJ (*see* Richards et al). 2002;132:1040-9
Godellas CV (*see* Kim et al). 2002;132:738-47
Goldin SB, Webb TH, Lillemoe KD. Leiomyosarcoma arising from the superior mesenteric vein. 2002;132:108-9
Gonen M (*see* Stanziale et al). 2002;132:353-9
Gould JC, Needleman BJ, Ellison EC, Muscarella P, Schneider C, Melvin WS. Evolution of minimally invasive bariatric surgery. 2002;132:565-72
Gourlay D (*see* Cuschieri et al). 2002;132:157-66
Grady EF (*see* Lightner et al). 2002;132:193-9
Grant CS. Presidential address: boiling water to iodine-a story of unparalleled collaboration. 2002;132:909-15
Grant CS (*see* Kang et al). 2002;132:916-23
Grant CS (*see* Kendrick et al). 2002;132:1008-12
Grant CS (*see* Sarmiento et al). 2002;132:976-83
Greisler HP (*see* Sheehan et al). 2002;132:761-6
Greisler HP (*see* Xue and Greisler). 2002;132:259-67

Griffiss M (*see* Stewart et al). 2002;132:408-14
Grikscheit TC, Ogilvie JB, Ochoa ER, Alsberg E, Mooney D, Vacanti JP. Tissue-engineered colon exhibits function in vivo. 2002;132:200-4
Groden J (*see* Lowy et al). 2002;132:141-8
Grosfeld JL. General surgery and fellowship training: mutually beneficial or competing entities. 2002;132:526-8
Grosfeld JL (*see* Ladd et al). 2002;132:748-53
Gross TG (*see* Buell et al). 2002;132:754-60
Grossi EA (*see* Hyman et al). 2002;132:173-9
Grundfest S (*see* Dietz et al). 2002;132:582-8
Gupta SK (*see* Agarwal et al). 2002;132:1075-85
Gusani NJ (*see* Stanziale et al). 2002;132:353-9
Gushchin V (*see* Alam et al). 2002;132:278-88

H

Hall JC, Hall JL. Randomization in surgical trials. 2002;132:513-8
Hall JL (*see* Hall and Hall). 2002;132:513-8
Hanaway MJ (*see* Buell et al). 2002;132:754-60
Hancock T (*see* Alam et al). 2002;132:278-88
Harken AH. Invited commentary: how do we recruit bright and selflessly capable students into the gratifying profession of surgery. 2002;132:803-4
Hashimoto Y (*see* Shimada et al). 2002;132:93-9
Hassan I (*see* Zielke et al). 2002;132:1056-63
Hasselgren PO (*see* Robb et al). 2002;132:226-31
Hassett JM, Nawotniak R, Cummiskey D, Berger R, Posner A, Seibel R, Hoover E. Maintaining outcomes in a surgical residency while complying with resident working hour regulations. 2002;132:635-41
Hassoun HT, Kozar RA, Kone BC, Safi HJ, Moore FA. Intraischemic hypothermia differentially modulates oxidative stress proteins during mesenteric ischemia/reperfusion. 2002;132:369-76
Hawn MT, Cook D, Deveney C, Sheppard BC. Quality of life after laparoscopic bilateral adrenalectomy for Cushing's disease. 2002;132:1064-9
Hayashi H (*see* Shimada et al). 2002;132:41-7
Haywood L (*see* Carty et al). 2002;132:1086-93
Hedeshian MH, Namour N, Dziadik E, Stewart RD, Campos CT. Does increasing age have a negative impact on six-month functional outcome after coronary artery bypass. 2002;132:239-44
Heidecke CD, Weighardt H, Feith M, Fink U, Zimmermann F, Stein HJ, Siewert JR, Holzmann B. Neoadjuvant treatment of esophageal cancer: immunosuppression following combined radiochemotherapy. 2002;132:495-501
Heitshusen DS (*see* Doherty et al). 2002;132:724-8
Heller JA (*see* Lee et al). 2002;132:399-407
Hellmich MR (*see* Thomas et al). 2002;132:127-34
Helton WS (*see* Silverstein et al). 2002;132:274-7
Henderson JM (*see* Vogt et al). 2002;132:775-80
Henderson JM (*see* Walsh et al). 2002;132:628-34
Herndon DN (*see* Thomas et al). 2002;132:341-7
Hershko DD (*see* Robb et al). 2002;132:226-31
Herts B (*see* Walsh et al). 2002;132:628-34
Higuchi Y (*see* Watanabe et al). 2002;132:27-33
Hillered L (*see* Carlsson et al). 2002;132:487-94
Hilly JMP (*see* Wong et al). 2002;132:988-1007
Hirakawa-YS Chung K (*see* Onoda et al). 2002;132:17-9
Hirokawa T (*see* Sayeed et al). 2002;132:535-6
Hirose H, Amano A, Takahashi A. Off-pump coronary artery bypass grafting for patients with three-vessel disease. 2002;132:57-65
Ho ST (*see* Wu et al). 2002;132:456-60
Hochberg A (*see* Schachter et al). 2002;132:1094-9
Hofbauer LC (*see* Zielke et al). 2002;132:1056-63
Hoffmann S (*see* Zielke et al). 2002;132:1056-63
Hollenbeak CS (*see* Swenson et al). 2002;132:767-74
Hollinger EF (*see* Kim et al). 2002;132:738-47
Holzmann B (*see* Heidecki et al). 2002;132:495-501
Hoover E (*see* Hassett et al). 2002;132:635-41
Horgan S (*see* Donahue et al). 2002;132:716-23
Horváth PO (*see* Ferencz et al). 2002;132:877-84
Hotokezaka M (*see* Tanabe et al). 2002;132:471-9
Huang EH (*see* Kirman et al). 2002;132:186-92
Huber SA (*see* Madan et al). 2002;132:889-93
Huerta S, Arteaga JR, Sawicki MP, Liu CD, Livingston EH. Assessment of routine elimination of postoperative nasogastric decompression after Roux-en-Y gastric bypass. 2002;132:844-8
Hugh TB. New strategies to prevent laparoscopic bile duct injury-surgeons can learn from pilots. 2002;132:826-35
Hughes CB (*see* Sorom et al). 2002;132:135-40
Hui T (*see* Avital et al). 2002;132:383-90
Hunter JG.The case for fellowships in gastrointestinal and laparoendoscopic surgery. 2002;132:523-5
Hurst JM (*see* O'Brien et al). 2002;132:710-5
Hussain HB (*see* Cohen et al). 2002;132:960-7
Husted T (*see* Buell et al). 2002;132:754-60
Hyman KM, Seghezzi G, Pintucci G, Stellari G, Kim JH, Grossi EA, Galloway AC, Mignatti P. Transforming growth factor-1 induces apoptosis in vascular endothelial cells by activation of mitogen-activated protein kinase. 2002;132:173-9

I

Iijima T (*see* Watanabe et al). 2002;132:27-33
Ikegami T, Nishizaki T, Shimada M. Reply: left liver plus caudate lobe graft with complete revascularization. 2002;132:905-6 (Letter reply)
Iki K, Inada H, Satoh M, Tsunoda T. Hemorrhagic acalculous cholecystitis associated with hemodialysis. 2002;132:903 (Letter)
Imamura H (*see* Sugawara et al). 2002;132:348-52
Imamura M (*see* Doi et al). 2002;132:80-5
Imamura M (*see* Shimada et al). 2002;132:93-9
Inaba M (*see* Onoda et al). 2002;132:17-9
Inabnet WB (*see* Carneiro et al). 2002;132:1050-5
Inada H (*see* Iki et al). 2002;132:903 (Letter)
Inge TH, Casson LK, Priebe W, Trent JO, Georgeson KE, Miller DM, Bates PJ. Importance of Sp1 consensus motifs in the MYCN promoter. 2002;132:232-8
Inoue S (*see* Sugimoto et al). 2002;132:431-40
Irvin GL III (*see* Carneiro et al). 2002;132:1050-5
Irvin GL III (*see* Carneiro et al). 2002;132:937-43
Ishiguro K (*see* Omura et al). 2002;132:885-8
Ishii Y, Asai S, Kohno T, Ito A, Iwai S, Ishikawa K. Recovery of liver function in two-third partial hepatectomized rats evaluated by L-[I-^{13}C]phenylalanine breath test. 2002;132:849-56
Ishikawa K (*see* Ishii et al). 2002;132:849-56
Ishikawa N (*see* Omura et al). 2002;132:885-8
Ishikawa T (*see* Onoda et al). 2002;132:17-9
Ishimaru K (*see* Unno et al). 2002;132:66-71
Ito A (*see* Ishii et al). 2002;132:849-56
Iwai S (*see* Ishii et al). 2002;132:849-56
Iwasaki T (*see* Tominaga et al). 2002;132:414-30

J

Jacobs DO (*see* Wang et al). 2002;132:334-40
Jaeck D (*see* Savanet et al). 2002;132:836-43
Jaffe BM (*see* Madan et al). 2002;132:889-93
Jaffe BM (*see* Weldon et al). 2002;132:293-301
James L (*see* O'Brien et al). 2002;132:710-5
Jansson L (*see* Carlsson et al). 2002;132:487-94
Jarvis GA (*see* Stewart et al). 2002;132:408-14
Jeffrey RB (*see* Karwowski et al). 2002;132:924-9
Jelacic S (*see* Cuschieri et al). 2002;132:157-66
Jenson BM (*see* Sorom et al). 2002;132:135-40
Jin L, Raymond DP, Crabtree TD, Pelletier SJ, Rudy CK, Pruett TL, Sawyer RG. Preexposure of murine macrophages to CpG-containing oligonucleotides results in nuclear factor B p50 homodimer-associated hyporesponsiveness. 2002;132:245-51
Jin MB, Nakayama M, Ogata T, Fujita M, Mino K, Taniguchi M, Suzuki T, Shimamura T, Furukawa H, Todo S. A novel leflunomide derivative, FK778, for immunosuppression after kidney transplantation in dogs. 2002;132:72-9

Jobe BA, Baumann HW, Domreis JS, Sheppard BC. Communicating esophageal duplication with Barrett's esophagus and high-grade dysplasia. 2002;132:112-4
Joe JK (*see* Stanziale et al). 2002;132:353-9
Johannigman JA (*see* O'Brien et al). 2002;132:710-5
Jones J (*see* Sywak et al). 2002;132:1013-20
Jones JJ, Brunaud L, Dowd CF, Duh QY, Morita E, Clark OH. Accuracy of selective venous sampling for intact parathyroid hormone in difficult patients with recurrent or persistent hyperparathyroidism. 2002;132:944-51
Jones JW, McCullough LB. Disclosure of intraoperative events. 2002;132:531-2
Jones RDB (*see* Natarajan et al). 2002;132:533-4
Jones SL (*see* Gayle et al). 2002;132:461-70
Jordan TH (*see* Lightner et al). 2002;132:193-9
Juno RJ, Williams JL, Knott AW, Erwin CR, O'Brien DP, Warner BW. A serum factor after intestinal resection stimulates epidermal growth factor receptor signaling and proliferation in intestinal epithelial cells. 2002;132:377-83
Jurek P (*see* Silverstein et al). 2002;132:274-7

K

Kaczirek K (*see* Prager et al). 2002;132:930-6
Kaganoi JI (*see* Shimada et al). 2002;132:93-9
Kalaschek A (*see* Prager et al). 2002;132:930-6
Kalmár-Nagy K (*see* Ferencz et al). 2002;132:877-84
Kan T (*see* Shimada et al). 2002;132:93-9
Kanauchi H (*see* Zarnegar et al). 2002;132:984-90
Kanazawa T (*see* Watanabe et al). 2002;132:27-33
Kanehira E (*see* Omura et al). 2002;132:885-8
Kaneko J (*see* Sugawara et al). 2002;132:348-52
Kaneko T (*see* Sugimoto et al). 2002;132:431-40
Kang AS, Grant CS, Thompson GB, van Heerden JA. Current treatment of nodular goiter with hyperthyroidism (Plummer's disease): surgery versus radioiodine. 2002;132:916-23
Kanuchi H, Wada N, Clark OH, Duh QY. Apoptosis regulating genes, bcl-2 and bax, and human telomerase reverse transcriptase messenger RNA expression in adrenal tumors: possible diagnostic and prognostic importance. 2002;132:1021-7
Kao A (*see* Wu et al). 2002;132:456-60
Kapus A (*see* Khadaroo et al). 2002;132:360-4
Kapus A (*see* Powers et al). 2002;132:391-8
Kar DK (*see* Agarwal et al). 2002;132:1075-85
Karwowski JK, Jeffrey RB, McDougall IR, Weigel RJ. Intraoperative ultrasonography improves identification of recurrent thyroid cancer. 2002;132:924-9
Kataoka M, Shimizu Y, Margenthaler JA, Landeros K, Otomo N, Flye MW. Transfer of "infectious" cardiac allograft tolerance induced by donor-specific transfusion. 2002;132:167-72
Kaufman DB, Leventhal JR, Gallon LG, Parker MA, Elliott MD, Gheorghiade M, Koffron AJ, Fryer JP, Abecassis MM, Stuart FP. Technical and immunologic progress in simultaneous pancreas-kidney transplantation. 2002;132:545-54
Kawachi S, Shimazu M, Wakabayashi G, Hoshino K, Tanabe M, Yoshida M, Morikawa Y, Kitajima M. Biliary complications in adult living donor liver transplantation with duct-to-duct hepaticocholedochostomy or Roux-en-Y hepaticojejunostomy biliary reconstruction. 2002;132:48-56
Kawakami K (*see* Omura et al). 2002;132:885-8
Kehlet H (*see* Bisgaard et al). 2002;132:817-25
Kelley ST, Menon C, Buerk DG, Bauer TW, Fraker DL. Acidosis plus melphalan induces nitric oxide-mediated tumor regression in an isolated limb perfusion human melanoma xenograft model. 2002;132:252-8
Kendrick MI, Curlee K, Lloyd R, Farley DR, Grant CS, Thompson GB, Rowland C, Young WF Jr, van Heerden JA. Aldosterone-secreting adrenocortical carcinomas are associated with unique operative risks and outcomes. 2002;132:1008-12
Kent HL (*see* Lee et al). 2002;132:399-407
Kent KC (*see* Liu et al). 2002;132:317-25
Khadaroo RG, Lu Z, Powers KA, Papia G, Kapus A, Rotstein OD. Impaired activation of mitogen-activated protein kinases after hemorrhagic shock. 2002;132:360-4
Khadaroo RG (*see* Powers et al). 2002;132:391-8
Khan SA, Stewart AK, Morrow M. Does aggressive local therapy improve survival in metastatic breast cancer. 2002;132:620-7
Kilaru S (*see* Lee et al). 2002;132:399-407
Kim AW, McCarthy WJ III, Maxhimer JB, Quiros RM, Hollinger JF, Doolas A, Millikan KW, Deziel DJ, Godellas CV, Prinz RA. Vascular complications associated with pancreaticoduodenectomy adversely affect clinical outcome. 2002;132:738-47
Kim JA (*see* Dietz et al). 2002;132:582-8
Kim JH (*see* Hyman et al). 2002;132:173-9
Kim S (*see* Thomas et al). 2002;132:127-34
Kirkwood KS (*see* Lightner et al). 2002;132:193-9
Kirman I, Cekic V, Poltaratskaia N, Asi Z, Bessler M, Huang EH, Forde KA, Whelan RL. Plasma from patients undergoing major open surgery stimulates in vitro tumor growth: lower insulin-like growth factor binding protein 3 levels may, in part, account for this change. 2002;132:186-92
Kisker O (*see* Tseng et al). 2002;132:857-65
Kiss K (*see* Ferencz et al). 2002;132:877-84
Kitajima M (*see* Kawachi et al). 2002;132:48-56
Kiuru A (*see* Carlsson et al). 2002;132:487-94
Klar E (*see* Gimm et al). 2002;132:952-9
Klarskov B (*see* Bisgaard et al). 2002;132:817-25
Klein GL (*see* Thomas et al). 2002;132:341-7
Kloos RG (*see* Richards et al). 2002;132:1040-9
Knight J (*see* Lowy et al). 2002;132:141-8
Knott AW (*see* Juno et al). 2002;132:377-83
Knowlton ST (*see* Sywak et al). 2002;132:1013-20
Ko CY, Chang JT, Chaudhry S, Kominski G. Are high-volume surgeons and hospitals the most important predictors of inhospital outcome for colon cancer resection. 2002;132:268-73
Koffron AJ (*see* Kaufman et al). 2002;132:545-54
Kohfuji K (*see* Aoyagi et al). 2002;132:20-6
Kohno T (*see* Ishii et al). 2002;132:849-56
Kokudo N (*see* Sugawara et al). 2002;132:348-52
Koltun WA (*see* Swenson et al). 2002;132:767-74
Komenaka IK (*see* Nguyen et al). 2002;132:537 (Letter)
Kominski G (*see* Ko et al). 2002;132:268-73
Komuro Y (*see* Watanabe et al). 2002;132:27-33
Kone BC (*see* Hassoun et al). 2002;132:369-76
Koniaris LG (*see* Sayeed et al). 2002;132:535-6
Korn P (*see* Lee et al). 2002;132:399-407
Kosiosk A. Nina. 2002;132:901-2
Koustova E (*see* Alam et al). 2002;132:278-88
Kovach SJ (*see* Sayeed et al). 2002;132:535-6
Kozar RA (*see* Hassoun et al). 2002;132:369-76
Kreishman P (*see* Alam et al). 2002;132:278-88
Kron IL. SUS extramural educational loan repayment for physicians/scientists. 2002;132:786
Ku Y (*see* Tominaga et al). 2002;132:414-30
Kubota K (*see* Liu et al). 2002;132:317-25
Kuo CJ (*see* Tseng et al). 2002;132:857-65
Kuroda Y (*see* Tominaga et al). 2002;132:414-30
Kusuda L (*see* Moul et al). 2002;132:213-9
Kusunoki N (*see* Tominaga et al). 2002;132:414-30
Kuvshinoff BW, Ota DM. Radiofrequency ablation of liver tumors: influence of technique and tumor size. 2002;132:605-12

L

Labiós M (*see* Escudero et al). 2002;132:894-5
Ladd AP, West KW, Rouse TM, Scherer LR III, Rescorla FJ, Engum SA, Grosfeld JL. Surgical management of duodenal injuries in children. 2002;132:748-53
Lahey SJ. Invited commentary: financial implications of early hospital discharge and readmission. 2002;132:16
Lai T (*see* Wong et al). 2002;132:988-1007
Lance R (*see* Moul et al). 2002;132:213-9
Landeros K (*see* Kataoka et al). 2002;132:167-72
Lange PA (*see* Samson et al). 2002;132:441-9
LaPlante D (*see* Ambady et al). 2002;132:5-9
Laster M (*see* Schachter et al). 2002;132:1094-9
Le Treut YP (*see* Savanet et al). 2002;132:836-43
Lee JE (*see* Royal et al). 2002;132:968-75

Lee NC, Tsung K, Norton JA. Production of interferon-gamma by tumor-sensitized T cells is essential for interleukin-12-induced complete tumor eradication. 2002;132:365-8
Lee T (*see* Bhama et al). 2002;132:104-5
Lee TY, Korn P, Heller JA, Kilaru S, Beavers FP, Bush HL, Kent KC. The cost-effectiveness of a "quick-screen" program for abdominal aortic aneurysms. 2002;132:399-407
Leslie-Norfleet LA (*see* Stassen et al). 2002;132:289-92
Letoublon C (*see* Savanet et al). 2002;132:836-43
Leventhal JR (*see* Kaufman et al). 2002;132:545-54
Levi JU (*see* Carneiro et al). 2002;132:937-43
Levinson W (*see* Ambady et al). 2002;132:5-9
Lewis FR Jr. Surgical fellowships and specialization. 2002;132:529-30
Li Z (*see* Shimada et al). 2002;132:93-9
Liberati DM (*see* Diebel et al). 2002;132:573-81
Libutti SK (*see* Elaraj et al). 2002;132:1028-34
Lightner AM, Jordan TH, Bunnett NW, Grady EF, Kirkwood KS. Recombinant human neutral endopeptidase ameliorates pancreatic elastase-induced lung injury. 2002;132:193-9
Lillemoe KD (*see* Goldin et al). 2002;132:108-9
Lim E (*see* O'Brien et al). 2002;132:710-5
Lin JM (*see* Carlsson et al). 2002;132:487-94
Lin X (*see* Berger et al). 2002;132:310-6
Littooy FN (*see* Sheehan et al). 2002;132:761-6
Liu B, Itoh H, Louie O, Kubota K, Kent KC. The signaling protein Rho is necessary for vascular smooth muscle migration and survival but not for proliferation. 2002;132:317-25
Liu CD (*see* Huerta et al). 2002;132:844-8
Liu KJM (*see* Donahue et al). 2002;132:716-23
Liu T (*see* Chang et al). 2002;132:149-56
Liu YC (*see* Wu et al). 2002;132:456-60
Liu Z (*see* Nwariaku et al). 2002;132:180-5
Livingston EH (*see* Huerta et al). 2002;132:844-8
Lledó S (*see* Escudero et al). 2002;132:894-5
Lloyd R (*see* Kendrick et al). 2002;132:1008-12
Lombardi CP (*see* Bellantone et al). 2002;132:2009-13
Louie O (*see* Liu et al). 2002;132:317-25
Lowy AM, Knight J, Groden J. Restoration of E-cadherin/-catenin expression in pancreatic cancer cells inhibits growth by induction of apoptosis. 2002;132:141-8
Lu Z (*see* Khadaroo et al). 2002;132:360-4
Lucas FL (*see* Finlayson et al). 2002;132:787-94
Luchette FA (*see* O'Brien et al). 2002;132:710-5
Lukan JK (*see* Stassen et al). 2002;132:642-7
Lundgren E (*see* Correa et al). 2002;132:450-5
Luo GJ (*see* Robb et al). 2002;132:226-31
Lusco V (*see* Matheson et al). 2002;132:673-81

M

MacLean LD. O. H. W. and the gift of total recall. 2002;132:102-3
Madan AR, Ternovits C, Huber SA, Pei LA, Jaffe BM. Gastrointestinal metastasis to the breast. 2002;132:889-93
Madura JA (*see* Donahue et al). 2002;132:716-23
Maeda K (*see* Omura et al). 2002;132:885-8
Maeda M (*see* Shimada et al). 2002;132:93-9
Magawa H (*see* Watanabe et al). 2002;132:27-33
Magro C (*see* Badgwell et al). 2002;132:205-12
Maher JW (*see* Doherty et al). 2002;132:724-8
Maier RV (*see* Cuschieri et al). 2002;132:157-66
Makuuchi M (*see* Sugawara et al). 2002;132:348-52
Makuuchi M (*see* Sugawara et al). 2002;132:904-5 (Letter)
Mandal AK (*see* Wright et al). 2002;132:729-37
Manoli S (*see* Natarajan et al). 2002;132:533-4
Mansour EG (*see* Averbook et al). 2002;132:589-604
Marcus SG, Shamamian P, Cushman J. Remembering September 11: reflections from Bellevue Hospital and New York University Medical Center. 2002;132:502-5
Margenthaler JA (*see* Kataoka et al). 2002;132:167-72
Marx SJ (*see* Elaraj et al). 2002;132:1028-34
Materazzi G (*see* Miccoli et al). 2002;132:1070-4
Matheson PJ, Lusco V, Wilson MA, Garrison RN. Omega-3 fatty acids in immune-enhancing enteral diets selectively increase blood flow to the ileum by a bile acid dependent mechanism. 2002;132:673-81
Matsubara H (*see* Shimada et al). 2002;132:41-7
Matsui Y (*see* Sugawara et al). 2002;132:248-52
Matsuno S (*see* Mikami et al). 2002;132:86-92
Maxhimer JB, Quiros RM, Stewart R, Dowlatshahi K, Gattuso P, Fan M, Prinz RA. Heparanase-1 expression is associated with the metastatic potential of breast cancer. 2002;132:326-33
Maxhimer JB (*see* Kim et al). 2002;132:738-47
May MJ (*see* Thomas et al). 2002;132:127-34
McCarthy JT (*see* Sorom et al). 2002;132:135-40
McCarthy WJ III (*see* Kim et al). 2002;132:738-47
McCullough LB (*see* Jones and McCullough). 2002;132:531-2
McDougall IR (*see* Karwowski et al). 2002;132:924-9
McHenry CR (*see* Mittendorf et al). 2002;132:648-54
McIntyre RC Jr (*see* Raeburn et al). 2002;132:896-8
McLachlan JA (*see* Weldon et al). 2002;132:293-301
McLeod DG (*see* Moul et al). 2002;132:213-9
Melnik LI (*see* Weldon et al). 2002;132:293-301
Melvin WS (*see* Gould et al). 2002;132:565-72
Menon C (*see* Kelley et al). 2002;132:252-8
Mibu R (*see* Tanabe et al). 2002;132:471-9
Miccoli P, Elisei R, Materazzi G, Capezzone M, Galleri D, Pacini F, Berti P, Pinchera A. Minimally invasive video-assisted thyroidectomy for papillary carcinoma: a prospective study of its completeness. 2002;132:1070-4
Middeke M (*see* Zielke et al). 2002;132:1056-63
Mignatti P (*see* Hyman et al). 2002;132:173-9
Mikami Y, Takeda K, Shibuya K, Qiu-Feng H, Egawa S, Sunmura M, Matsuno S. Peritoneal inflammatory cells in acute pancreatitis: relationship of infiltration dynamics and cytokine production with severity of illness. 2002;132:86-92
Miki K (*see* Unno et al). 2002;132:66-71
Millat B (*see* Savanet et al). 2002;132:836-43
Miller DM (*see* Inge et al). 2002;132:232-8
Miller FB (*see* Stassen et al). 2002;132:642-7
Miller S (*see* O'Brien et al). 2002;132:710-5
Millikan KW (*see* Kim et al). 2002;132:738-47
Mino K (*see* Jin et al). 2002;132:72-9
Mishra SK (*see* Agarwal et al). 2002;132:1075-85
Mithal A (*see* Agarwal et al). 2002;132:1075-85
Mitsuoka H (*see* Unno et al). 2002;132:66-71
Mittendorf EA, Tamarkin SW, McHenry CR. The results of ultrasound-guided fine-needle aspiration biopsy for evaluation of nodular thyroid disease. 2002;132:648-54
Miwa M (*see* Unno et al). 2002;132:66-71
Miyagi M (*see* Aoyagi et al). 2002;132:20-6
Miyaki M (*see* Watanabe et al). 2002;132:27-33
Moley JF (*see* Cohen et al). 2002;132:960-7
Monden M (*see* Yoshioka et al). 2002;132:34-40
Mooney D (*see* Grikscheit et al). 2002;132:200-4
Moore FA (*see* Hassoun et al). 2002;132:369-76
Morikawa Y (*see* Kawachi et al). 2002;132:48-56
Morimoto K (*see* Thomas et al). 2002;132:341-7
Morita E (*see* Jones et al). 2002;132:944-51
Morrow M (*see* Khan et al). 2002;132:620-7
Mössner J, Teich N. Genetic disorders in pancreatitis: Implications in the pathogenesis of acute and chronic pancreatitis. 2002;132:421-3
Most D, Efron DT, Shi HP, Tantry US, Barbul A. Characteization of incisional wound healing in inducible nitric oxide synthase knockout mice. 2002;132:866-76
Moul JW, Wu H, Sun L, McLeod DG, Amling C, Lance R, Kusuda L, Donahue T, Foley J, Chung A, Sexton W, Soderdahl D, Rich NM. Epidemiology of radical prostatectomy for localized prostate cancer in the era of prostate-specific antigen: an overview of the Department of Defense Center for Prostate Disease Research national database. 2002;132:213-9
Mulholland MW (*see* Ailawadi et al). 2002;132:689-96
Mulligan RC (*see* Tseng et al). 2002;132:857-65
Muraca M (*see* Avital et al). 2002;132:383-90
Murakami N (*see* Aoyagi et al). 2002;132:20-6
Muramatsu S (*see* Tominaga et al). 2002;132:414-30
Muscarella P (*see* Gould et al). 2002;132:565-72

N

Nabeya Y (*see* Shimada et al). 2002;132:41-7
Nagatami S (*see* Shimada et al). 2002;132:93-9
Nagorney DM (*see* Sarmiento et al). 2002;132:697-709
Nagorney DM (*see* Sarmiento et al). 2002;132:976-83
Nakamura S (*see* Unno et al). 2002;132:66-71
Nakamura T (*see* Unno et al). 2002;132:66-71
Nakao A (*see* Sugimoto et al). 2002;132:431-40
Nakayama M (*see* Jin et al). 2002;132:72-9
Nakeeb A, Tran KQ, Black MJ, Erickson BA, Ritch PS, Quebbeman EJ, Wilson ED, Demeure MJ, Rilling WS, Dua KS, Pitt HA. Improved survival in resected biliary malignancies. 2002;132:555-64
Namour N (*see* Hedeshian et al). 2002;132:239-44
Natarajan S, Manoli S, Basnyat PS, Bransom CJ, Jones RDB. Spontaneous rupture of primary musculoskeletal hydatid cyst. 2002;132:533-4
Nawotniak R (*see* Hassett et al). 2002;132:635-41
Needleman BJ (*see* Gould et al). 2002;132:565-72
Newell J (*see* Bohmer et al). 2002;132:10-5
Nguyen ET, Komenaka IK, Gardezi S, Wise L. Profound hypoglycemia after intravasation of cystogram: a previously unreported complication of cystogram. 2002;132:537 (Letter)
Nguyen T (*see* Ambady et al). 2002;132:5-9
Niederle B (*see* Gimm et al). 2002;132:952-9
Niederle B (*see* Prager et al). 2002;132:930-6
Niederle BE (*see* Gimm et al). 2002;132:952-9
Nishizaki T (*see* Ikegami et al). 2002;132:905-6 (Letter reply)
Nissborg A (*see* Almqvist et al). 2002;132:2026-32
Nordin A (*see* Carlsson et al). 2002;132:487-94
Norfleet LA (*see* Stassen et al). 2002;132:642-7
Norton JA (*see* Lee et al). 2002;132:365-8
Nussbaum M (*see* Cole et al). 2002;132:115-8
Nwariaku FE, Liu Z, Zhu X, Turnage RH, Sarosi GA, Terada LS. Tyrosine phosphorylation of vascular endothelial cadherin and the regulation of microvascular permeability. 2002;132:180-5
Nyberg SL (*see* Sorom et al). 2002;132:135-40

O

O'Brien DP, Luchette FA, Pereira SJ, Lim E, Seeskin CS, James L, Miller S, Davis K Jr, Hurst JM, Johannigman JA, Frame SB. Pelvic fracture in the elderly is associated with increased mortality. 2002;132:710-5
O'Brien DP (*see* Juno et al). 2002;132:377-83
Ochiai T (*see* Shimada et al). 2002;132:41-7
Ochoa ER (*see* Grikscheit et al). 2002;132:200-4
Ochoa JB, Ford HR. Invited commentary: new roles for immune-enhancing diets. 2002;132:815-6
Oesterle AL (*see* Stewart et al). 2002;132:408-14
Ogata T (*see* Jin et al). 2002;132:72-9
Ogilvie JB (*see* Grikscheit et al). 2002;132:200-4
Ogren JW (*see* Bhama et al). 2002;132:104-5
Ohkubo T (*see* Sugawara et al). 2002;132:348-52
Ohta K (*see* Omura et al). 2002;132:885-8
Okada Y (*see* Yoshioka et al). 2002;132:34-40
Okamura T (*see* Onoda et al). 2002;132:17-9
Okazumi SI (*see* Shimada et al). 2002;132:41-7
Olsson R (*see* Carlsson et al). 2002;132:487-94
O'Malley CM Jr (*see* Walsh et al). 2002;132:628-34
Omura K, Kanehira E, Kawakami K, Maeda K, Ishiguro K, Ishikawa N, Ohta K, Watanabe G. Pharyngolaryngoesophagectomy for well-differentiated papillary thyroid carcinoma widely invading the upper aerodigestive tract. 2002;132:885-8
Oncel M (*see* Remzi et al). 2002;132:655-62
Onoda N, Ishikawa T, Yamada N, Okamura T, Tahara H, Inaba M, Takashima T, Sakate Y, Hirakawa-YS Chung K. Radioisotope-navigated video-assisted thoracoscopic operation for ectopic mediastinal parathyroid. 2002;132:17-9
Ooi BS (*see* Remzi et al). 2002;132:655-62
O'Rourke RW (*see* Chang et al). 2002;132:149-56
Ota DM (*see* Kuvshinoff and Ota). 2002;132:605-12
Otomo N (*see* Kataoka et al). 2002;132:167-72

P

Pacini F (*see* Miccoli et al). 2002;132:1070-4
Panneton JM (*see* Sorom et al). 2002;132:135-40
Papia G (*see* Khadaroo et al). 2002;132:360-4
Papia G (*see* Powers et al). 2002;132:391-8
Parihar R (*see* Badgwell et al). 2002;132:205-12
Parker MA (*see* Kaufman et al). 2002;132:545-54
Parsons LL (*see* Sywak et al). 2002;132:1013-20
Partensky C (*see* Savanet et al). 2002;132:836-43
Pasieka JL (*see* Sywak et al). 2002;132:1013-20
Passler C (*see* Prager et al). 2002;132:930-6
Patton FN (*see* Arnalsteen et al). 2002;132:2019-25
Pawlik TM, Thompson N. Supernumerary intravagal parathyroid hyperplagia. 2002;132:903-4 (Letter)
Paxton JH (*see* Robb et al). 2002;132:226-31
Peddi VR (*see* Buell et al). 2002;132:754-60
Pei LA (*see* Madan et al). 2002;132:889-93
Pelletier SJ (*see* Jin et al). 2002;132:245-51
Pereira SJ (*see* O'Brien et al). 2002;132:710-5
Petras R (*see* Rosen et al). 2002;132:480-6
Petrowsky H (*see* Stanziale et al). 2002;132:353-9
Pinchera A (*see* Miccoli et al). 2002;132:1070-4
Pintucci G (*see* Hyman et al). 2002;132:173-9
Pitt HA (*see* Nakeeb et al). 2002;132:555-64
Piza-Katzer H (*see* Bauer et al). 2002;132:899-900
Piza-Katzer H (*see* Wechselberger et al). 2002;132:106-7
Polk HC Jr (*see* Stassen et al). 2002;132:289-92
Polk HC Jr (*see* Stassen et al). 2002;132:642-7
Poltaratskaia N (*see* Kirman et al). 2002;132:186-92
Ponsky J (*see* Rosen et al). 2002;132:480-6
Posner A (*see* Hassett et al). 2002;132:635-41
Powers KA, Kapus A, Khadaroo RG, Papia G, Rotstein OD. 25% albumin modulates adhesive interactions between neutrophils and the endothelium following shock/resuscitation. 2002;132:391-8
Powers KA (*see* Khadaroo et al). 2002;132:360-4
Prager G, Kalaschek A, Kaczirek K, Passler C, Scheuba C, Sonneck G, Niederle B. Parathyroidectomy improves concentration and retentiveness in patients with primary hyperparathyroidism. 2002;132:930-6
Preen M (*see* Remzi et al). 2002;132:655-62
Priebe W (*see* Inge et al). 2002;132:232-8
Prieto M (*see* Sorom et al). 2002;132:135-40
Princi P (*see* Bellantone et al). 2002;132:2009-13
Prinz RA (*see* Kim et al). 2002;132:738-47
Prinz RA (*see* Maxhimer et al). 2002;132:326-33
Proye CAG (*see* Arnalsteen et al). 2002;132:2019-25
Pruett TL (*see* Jin et al). 2002;132:245-51
Prystowsky JB, Bordage G, Feinglass JM. Patient outcomes for segmental colon resection according to surgeon's training, certification, and experience. 2002;132:663-72
Pützer BM (*see* Drosten et al). 2002;132:991-7

Q

Qiu-Feng H (*see* Mikami et al). 2002;132:86-92
Que FG (*see* Sarmiento et al). 2002;132:697-709
Que FG (*see* Sarmiento et al). 2002;132:976-83
Quebbeman EJ (*see* Nakeeb et al). 2002;132:555-64
Quickel RR (*see* Wright et al). 2002;132:729-37
Quiereux JL (*see* Arnalsteen et al). 2002;132:2019-25
Quiros RM (*see* Kim et al). 2002;132:738-47
Quiros RM (*see* Maxhimer et al). 2002;132:326-33

R

Raeburn CD, Cothren C, McIntyre RC Jr. End-stage skeletal manifestations of severe hyperparathyroidism. 2002;132:896-8
Raffaelli M (*see* Bellantone et al). 2002;132:2009-13
Rai JS (*see* Averbook et al). 2002;132:589-604

Rastad J (*see* Correa et al). 2002;132:450-5
Raymond DP (*see* Jin et al). 2002;132:245-51
Remaley AT (*see* Elaraj et al). 2002;132:1028-34
Remzi FH, Fazio VW, Oncel M, Baker ME, Church JM, Ooi BS, Connor JT, Preen M, Einstein D. Portal vein thrombi after restorative proctocolectomy. 2002;132:655-62
Rescorla FJ (*see* Ladd et al). 2002;132:748-53
Rhee P (*see* Alam et al). 2002;132:278-88
Rhodes RS. The SUS loan repayment program for surgeon/scientists: will it work. 2002;132:785
Rich NM (*see* Moul et al). 2002;132:213-9
Richards ML, Gauger PG, Thomspon NW, Kloos RG, Giodano TJ. Pitfalls in the surgical treatment of insulinoma. 2002;132:1040-9
Rilling WS (*see* Nakeeb et al). 2002;132:555-64
Rippe RA (*see* Samson et al). 2002;132:441-9
Ritch PS (*see* Nakeeb et al). 2002;132:555-64
Robb BW, Hershko DD, Paxton JH, Luo GJ, Hasselgren PO. Interleukin-10 activates the transcription factor C/EBP and the interleukin-6 gene promoter in human intestinal epithelial cells. 2002;132:226-31
Roberts GD (*see* Stanziale et al). 2002;132:353-9
Roberts JP (*see* Chang et al). 2002;132:149-56
Roberts MM (*see* Carty et al). 2002;132:1086-93
Robertson AM (*see* Stassen et al). 2002;132:289-92
Rolfe KW (*see* Weldon et al). 2002;132:293-301
Roos H (*see* Smedberg and Roos). 2002;132:906 (Letter)
Rosen M, Ponsky J, Petras R, Fanning A, Brody, Duperier F. Small intestinal submucosa as a bioscaffold for biliary tract regeneration. 2002;132:480-6
Rosenberg J (*see* Bisgaard et al). 2002;132:817-25
Rosenthal R (*see* Ambady et al). 2002;132:5-9
Róth E (*see* Ferencz et al). 2002;132:877-84
Rotstein LE (*see* Dackiw et al). 2002;132:2000-8
Rotstein OD (*see* Khadaroo et al). 2002;132:360-4
Rotstein OD (*see* Powers et al). 2002;132:391-8
Rouse TM (*see* Ladd et al). 2002;132:748-53
Rowland C (*see* Kendrick et al). 2002;132:1008-12
Royal RE, Delpassand ES, Shapiro SE, Fritsche HA Jr, Vassilopoulou-Sellin R, Sherman SI, Gagel RF, Evans DB, Lee JE. Improving the yield of preoperative parathyroid localization: technetium Tc 99 m-sestamibi imaging after thyroid suppression. 2002;132:968-75
Rozga J (*see* Avital et al). 2002;132:383-90
Rudy C (*see* Jin et al). 2002;132:245-51
Russo T (*see* Badgwell et al). 2002;132:205-12

S

Sabater L (*see* Escudero et al). 2002;132:894-5
Safi HJ (*see* Hassoun et al). 2002;132:369-76
Saha D (*see* Berger et al). 2002;132:310-6
Saito T (*see* Unno et al). 2002;132:66-71
Sakate Y (*see* Onoda et al). 2002;132:17-9
Samson CM, Schrum LW, Bird MA, Lange PA, Brenner DA, Rippe RA, Behrns KE. Transforming growth factor-1 induces hepatocyte apoptosis by a c-Jun independent mechanism. 2002;132:441-9
Sarmiento JM, Que FG, Grant CS, Thompson GB, Franell MB, Nagorney DM. Concurrent resections of pancreatic islet cell cancers with synchronous hepatic metastases: outcomes of an aggressive approach. 2002;132:976-83
Sarmiento JM, Que FG, Nagorney DM. Surgical outcomes of isolated caudate lobe resection: a single series of 19 patients. 2002;132:697-709
Sarmiento JM, Sarr MG. Necrotic infected liver metastasis from colon cancer. 2002;132:110-1
Sarosi GA (*see* Nwariaku et al). 2002;132:180-5
Sarr MG (*see* Sarmiento and Sarr). 2002;132:110-1
Sarr MG (*see* Warshaw and Sarr). 2002;132:522
Sarr MG, Warshaw AL. Responsibility of authorship. 2002;132:521 (Editorial)
Sastre B (*see* Savanet et al). 2002;132:836-43
Sato F (*see* Shimada et al). 2002;132:93-9
Satoh M (*see* Iki et al). 2002;132:903 (Letter)
Savanet A, Partensky C, Sastre B, Gigot JF, Fagniez PL, Tuech J, Millat B, Berdah S, Dousset B, Jaeck D, Le Treut YP, Letoublon C. Medial pancreatectomy: a multi-institutional retrospective study of 53 patients by the French Pancreas Club. 2002;132:836-43
Sawada T (*see* Watanabe et al). 2002;132:27-33
Sawicki MP (*see* Huerta et al). 2002;132:844-8
Sawyer RG (*see* Jin et al). 2002;132:245-51
Sayeed S, Koniaris LG, Kovach SJ, Hirokawa T. Torsion of a wandering spleen. 2002;132:535-6
Scandurro AB (*see* Weldon et al). 2002;132:293-301
Schachter PP, Ayesh S, Schneider T, Laster M, Czerniak A, Hochberg A. Expression of kinase genes in primary hyperparathyroidism: adenoma versus hyperplastic parathyroid tissue. 2002;132:1094-9
Scherer LR (*see* Ladd et al). 2002;132:748-53
Scheuba C (*see* Prager et al). 2002;132:930-6
Schmidt G (*see* Chang et al). 2002;132:149-56
Schneider C (*see* Gould et al). 2002;132:565-72
Schneider T (*see* Schachter et al). 2002;132:1094-9
Schnitzer JJ (*see* Briggs and Schnitzer). 2002;132:506-12
Schoeller T (*see* Bauer et al). 2002;132:899-900
Schoeller T (*see* Wechselberger et al). 2002;132:106-7
Schrum LW (*see* Samson et al). 2002;132:441-9
Schuchert VD (*see* Carty et al). 2002;132:682-8
Schwentker A (*see* Carty et al). 2002;132:682-8
Seeskin CS (*see* O'Brien et al). 2002;132:710-5
Seghezzi G (*see* Hyman et al). 2002;132:173-9
Seibel R (*see* Hassett et al). 2002;132:635-41
Sexton W (*see* Moul et al). 2002;132:213-9
Shamamian P (*see* Marcus et al). 2002;132:502-5
Shang LH (*see* Wang et al). 2002;132:334-40
Shapiro SE (*see* Royal et al). 2002;132:968-75
Sheehan MK, Greisler HP, Littooy FN, Baker WH. The effect of intraoperative duplex on the management of postoperative stroke. 2002;132:761-6
Sheppard BC (*see* Hawn et al). 2002;132:1064-9
Sheppard BC (*see* Jobe et al). 2002;132:112-4
Sherman SI (*see* Royal et al). 2002;132:968-75
Shi HP (*see* Most et al). 2002;132:866-76
Shibuya K (*see* Mikami et al). 2002;132:86-92
Shimada H, Nabeya Y, Okazumi SI, Matsubara I, Funami Y, Shiratori T, Hayashi H, Takeda A, Ochiai T. Prognostic significance of serum p53 antibody in patients with esophageal squamous cell carcinoma. 2002;132:41-7
Shimada Y, Imamura M, Sato F, Maeda M, Kaganoi JI, Hashimoto Y, Kan T, Nagatani S, Li Z. Indications for abdominal para-aortic lymph node dissection in patients with esophageal squamous cell carcinoma. 2002;132:93-9
Shimamura T (*see* Jin et al). 2002;132:72-9
Shimazu M (*see* Kawachi et al). 2002;132:48-56
Shimizu Y (*see* Kataoka et al). 2002;132:167-72
Shimoda M (*see* Ikegami et al). 2002;132:905-6 (Letter reply)
Shiozaki H (*see* Yoshioka et al). 2002;132:34-40
Shiratori T (*see* Shimada et al). 2002;132:41-7
Shirouzu K (*see* Aoyagi et al). 2002;132:20-6
Siewers AE (*see* Finlayson et al). 2002;132:787-94
Siewert JR (*see* Heidecki et al). 2002;132:495-501
Silverstein JC, Dech F, Edison M, Jurek P, Helton WS, Espat NJ. Virtual reality: immersive hepatic surgery educational environment. 2002;132:274-7
Simmons RL (*see* Carty et al). 2002;132:682-8
Simonds WF (*see* Elaraj et al). 2002;132:1028-34
Singh AK (*see* Agarwal et al). 2002;132:1075-85
Sippel RS, Chen H. Activation of the ras/raf-1 signal transduction pathway in carcinoid tumor cells results in morphologic transdifferentiation. 2002;132:1035-9
Skarulis MC (*see* Elaraj et al). 2002;132:1028-34
Smedberg S, Roos H. Hockey groin syndrome. 2002;132:906 (Letter)
Smedgårel P (*see* Almqvist et al). 2002;132:2026-32
Soderdahl D (*see* Moul et al). 2002;132:213-9
Sonnad SS, Colletti LM. Issues in the recruitment and success of women in academic surgery. 2002;132:415-9

Sonneck G (*see* Prager et al). 2002;132:930-6
Sorom AJ, Hughes CB, McCarthy JT, Jenson BM, Prieto M, Panneton JM, Sterioff S, Stegall MD, Nyberg SL. Prospective, randomized evaluation of a cuffed expanded polytetrafluoroethylene graft for hemodialysis vascular access. 2002;132:135-40
Spain DA (*see* Stassen et al). 2002;132:642-7
Stanton K (*see* Alam et al). 2002;132:278-88
Stanziale SF, Petrowsky H, Joe JK, Roberts GD, Zager JS, Gusani NJ, Ben-Porat L, Gonen M, Fong Y. Ionizing radiation potentiates the antitumor efficacy of oncolytic herpes simplex virus G207 by upregulating ribonucleotide reductase. 2002;132:353-9
Stassen NA, Leslie-Norfleet LA, Robertson AM, Eichenberger MR, Polk HC Jr. Interferon-γ gene polymorphisms and the development of sepsis in patients with trauma. 2002;132:289-92
Stassen NA, Lukan JK, Carrillo EH, Spain DA, Norfleet LA, Miller FB, Polk HC Jr. Examination of the role of abdominal computed tomography in the evaluation of victims of trauma with increased aspartate aminotransferase in the era of focused abdominal sonography for trauma. 2002;132:642-7
Stegall MD (*see* Sorom et al). 2002;132:135-40
Stellari G (*see* Hyman et al). 2002;132:173-9
Sterioff S (*see* Sorom et al). 2002;132:135-40
Steward CEH (*see* Wong et al). 2002;132:988-1007
Stewart AK (*see* Khan et al). 2002;132:620-7
Stewart L, Oesterle AL, Griffiss JM, Jarvis GA, Aagaard B, Way LW.Gram-negative bacteria killed by complement are associated with more severe biliary infections and produce more tumor necrosis factor-α in sera. 2002;132:408-14
Stewart R (*see* Maxhimer et al).2002;132: 326-33
Stewart RD (*see* Hedeshian et al). 2002;132:239-44
Stiewe T (*see* Drosten et al). 2002;132:991-7
Stock PG (*see* Chang et al). 2002;132:149-56
Stuart FP (*see* Kaufman et al). 2002;132:545-54
Stukel TA (*see* Finlayson et al). 2002;132:787-94
Sugatani J (*see* Unno et al). 2002;132:66-71
Sugawara Y, Makuuchi M, Imamura H, Kaneko J, Ohkubo T, Matsui Y, Kokudo N. Living donor liver transplantation in adults: recent advances and results. 2002;132:348-52
Sugawara Y, Makuuchi M, Takayama T. Left liver plus caudate lobe graft with complete revascularization. 2002;132:904-5 (Letter)
Sugimoto H, Kaneko T, Takeda S, Inoue S, Nakao S. The use of quantitative Doppler ultrasonography to predict posthepatectomy complications on the basis of hepatic hemodynamic parameters. 2002;132:431-40
Sugita Y (*see* Yoshioka et al). 2002;132:34-40
Sun L (*see* Moul et al). 2002;132:213-9
Sunamura M (*see* Mikami et al). 2002;132:86-92
Sunouchi K (*see* Watanabe et al). 2002;132:27-33
Suzuki T (*see* Jin et al). 2002;132:72-9
Suzuki Y (*see* Tominaga et al). 2002;132:414-30
Svensson SE (*see* Almqvist et al). 2002;132:2026-32
Sweeney JF (*see* Ailawadi et al). 2002;132:689-96
Swenson BR, Hollenbeak CS, Koltun WA. Hospital costs and risk factors associated with complications of the ileal pouch anal anastomosis. 2002;132:767-74
Sywak MS, Knowlton ST, Pasieka JL, Parsons LL, Jones J. Do the National Institutes of Health consensus guidelines for parathyroidectomy predict symptom severity and surgical outcome in patients with primary hyperparathyroidism. 2002;132:1013-20
Szántó Z (*see* Ferencz et al). 2002;132:877-84
Szeberényi J (*see* Ferencz et al). 2002;132:877-84

T

Tahara H (*see* Onoda et al). 2002;132:17-9
Takahashi A (*see* Hirose et al). 2002;132:57-65
Takashima T (*see* Onoda et al). 2002;132:17-9
Takayama T (*see* Sugawara et al). 2002;132:904-5 (Letter)
Takeda A (*see* Shimada et al). 2002;132:41-7
Takeda J (*see* Aoyagi et al). 2002;132:20-6
Takeda K (*see* Mikami et al). 2002;132:86-92
Takeda S (*see* Sugimoto et al). 2002;132:431-40
Takiguchi S (*see* Yoshioka et al). 2002;132:34-40
Tamarkin SW (*see* Mittendorf et al). 2002;132:648-54
Tamura S (*see* Yoshioka et al). 2002;132:34-40
Tanabe M (*see* Kawachi et al). 2002;132:48-56
Tanabe Y, Hotokezaka M, Mibu R, Tanaka M. Effects of extrinsic autonomic denervation and myenteric plexus transection on colonic motility in conscious dogs. 2002;132:471-9
Tanaka M (*see* Tanabe et al). 2002;132:471-9
Taniguchi M (*see* Jin et al). 2002;132:72-9
Tantry US (*see* Most et al). 2002;132:866-76
Teich N (*see* Mössner and Teich). 2002;132:421-3
Terada LS (*see* Nwariaku et al). 2002;132:180-5
Ternovis C (*see* Madan et al). 2002;132:889-93
Thanh PN (*see* Gimm et al). 2002;132:952-9
Thomas R. Resident debt and the American College of Surgeons. 2002;132:783-4
Thomas RP, Farrow BJ, Kim S, May MJ, Hellmich MR, Evers BM. Selective targeting of the nuclear factor-B pathway enhances tumor necrosis factor-related apoptosis-inducing ligand-mediated pancreatic cancer cell death. 2002;132:127-34
Thomas SJ, Morimoto K, Herndon DN, Ferrando AA, Wolfe R, Klein GL. The effect of prolonged euglycemic hyperinsulinemia on lean body mass after severe burn. 2002;132:341-7
Thompson GB (*see* Kang et al). 2002;132:916-23
Thompson GB (*see* Kendrick et al). 2002;132:1008-12
Thompson GB (*see* Sarmiento et al). 2002;132:976-83
Thompson JA (*see* Eckhoff et al). 2002;132:302-9
Thompson N (*see* Pawlik and Thompson). 2002;132:903-4 (Letter)
Thompson NW (*see* Richards et al). 2002;132:1040-9
Todo S (*see* Jin et al). 2002;132:72-9
Tominaga M, Ku Y, Iwasaki T, Fukumoto T, Muramatsu S, Kusunoki N, Suzuki Y, Fujino Y, Kuroda Y. Effect of portal vein embolization on function of the nonembolized lobes of the liver: evaluation by first-pass hepatic lidocaine extraction in dogs. 2002;132:424-30
Torchiana DF (*see* Bohmer et al). 2002;132:10-5
Traini E (*see* Bellantone et al). 2002;132:2009-13
Tran KQ (*see* Nakeeb et al). 2002;132:555-64
Trent JO (*see* Inge et al). 2002;132:232-8
Trofe J (*see* Buell et al). 2002;132:754-60
Tseng JF, Farnebo FA, Kisker O, Becker CM, Kuo CJ, Folkman J, Mulligan RC. Adenovirus-mediated delivery of a soluble form of the VEGF receptor Flk1 delays the growth of murine and human pancreatic adenocarcinoma in mice. 2002;132:857-65
Tsung K (*see* Lee et al). 2002;132:365-8
Tsunoda T (*see* Iki et al). 2002;132:903 (Letter)
Tsurita G (*see* Watanabe et al). 2002;132:27-33
Tuech JJ (*see* Savanet et al). 2002;132:836-43
Turnage RH (*see* Nwariaku et al). 2002;132:180-5
Turnipseed WD. Diagnosis and management of chronic compartment syndrome. 2002;132:613-9
Tuszynski GP (*see* Wang et al). 2002;132:220-5
Tzeng E (*see* Carty et al). 2002;132:682-8

U

Ukkat J (*see* Gimm et al). 2002;132:952-9
Unno N, Nakamura T, Mitsuoka H, Saito T, Miki K, Ishimaru K, Sugatani J, Miwa M, Nakamura S. Single nucleotide polymorphism (G994T) in the plasma platelet-activating factor-acetylhydrolase gene is associated with graft patency of femoropopliteal bypass. 2002;132:66-71

V

Vacanti JP (*see* Grikscheit et al). 2002;132:200-4
van Heerden JA (*see* Kang et al). 2002;132:916-23
van Heerden JA (*see* Kendrick et al). 2002;132:1008-12
Vargo JJ (*see* Walsh et al). 2002;132:628-34
Vassilopoulou-Sellin R (*see* Royal et al). 2002;132:968-75
Venzon DJ (*see* Elaraj et al). 2002;132:1028-34
Vignali A (*see* Braga et al). 2002;132:805-14
Virji MA (*see* Carty et al). 2002;132:1086-93

Vogt DP, Henderson JM, Carey WD, Barnes D. The long-term survival and causes of death in patients who survive at least 1 year after liver transplantation. 2002;132:775-80
Vogt DP (*see* Walsh et al). 2002;132:628-34

W

Wada M (*see* Doi et al). 2002;132:80-5
Wada N (*see* Kanuchi et al). 2002;132:1021-7
Wakabayashi G (*see* Kawachi et al). 2002;132:48-56
Wallace AE (*see* Weeks and Wallace). 2002;132:795-802
Walsh RM, Henderson JM, Vogt DP, Baker ME, O'Malley CM Jr, Herts B, Zuccaro G Jr, Vargo JJ, Dumot JA, Conwell DL, Biscotti CV, Brown N. Prospective preoperative determination of mucinous pancreatic cystic neoplasms. 2002;132:628-34
Wang JJ (*see* Wu et al). 2002;132:456-60
Wang TN, Albo D, Tuszynski GP. Fibroblasts promote breast cancer cell invasion by upregulating tumor matrix metalloproteinase-9 production. 2002;132:220-5
Wang W, Shang LH, Jacobs DO. Complement regulatory protein CD59 involves c-SRC related tyrosine phosphorylation of the creatine transporter in skeletal muscle during sepsis. 2002;132:334-40
Warner BW (*see* Juno et al). 2002;132:377-83
Warshaw AL. Forces for change in surgical training: unintended consequences. 2002;132:100-1 (Editorial)
Warshaw AL, Sarr MG. Introduction: subspecialty fellowships in general surgery. 2002;132:522
Warshaw AL (*see* Sarr and Warshaw). 2002;132:521 (Editorial)
Watanabe G (*see* Omura et al). 2002;132:885-8
Watanabe T, Tsurita G, Muto T, Sawada T, Sunouchi K, Higuchi Y, Komuro Y, Kanazawa T, Iijima T, Miyaki M, Nagawa H. Extended lymphadenectomy and preoperative radiotherapy for lower rectal cancers. 2002;132:27-33
Way LW (*see* Stewart et al). 2002;132:408-14
Webb TH (*see* Goldin et al). 2002;132:108-9
Weber T (*see* Gimm et al). 2002;132:952-9
Webster MW (*see* Carty et al). 2002;132:682-8
Wechselberger G, Schoeller T, Piza-Katzer H. Juvenile fibroadenoma of the breast. 2002;132:106-7
Wechselberger G (*see* Bauer et al). 2002;132:899-900
Weeks WB, Wallace AE. Financial returns on specialty training for surgeons. 2002;132:795-802
Weigel RJ (*see* Karwowski et al). 2002;132:924-9
Weighardt H (*see* Heidecki et al). 2002;132:495-501
Weldon CB, Scandurro AB, Rolfe KW, Clayton JL, Elliott S, Butler NN, Melnik LI, Alam J, McLachlan JA, Jaffe BM, Beckman BS, Burow ME. Identification of mitogen-activated protein kinase kinase as a chemoresistant pathway in MCF-7 cells by using gene expression microarray. 2002;132:293-301
Wells SA Jr. Invited commentary: surgeons and surgical trials-why we must assume a leadership role. 2002;132:519-20
Wemeau JL (*see* Arnalsteen et al). 2002;132:2019-25
Wennberg DE (*see* Finlayson et al). 2002;132:787-94
West KW (*see* Ladd et al). 2002;132:748-53
Westin G (*see* Correa et al). 2002;132:450-5
Whelan RL (*see* Kirman et al). 2002;132:186-92
Williams JL (*see* Juno et al). 2002;132:377-83
Wilson MA (*see* Matheson et al). 2002;132:673-81
Wilson SD (*see* Nakeeb et al). 2002;132:555-64
Winter DC (*see* Dowdall et al). 2002;132:1-4
Wise L (*see* Nguyen et al). 2002;132:537 (Letter)
Wolf SE (*see* Thomas et al). 2002;132:341-7
Wolfe RR (*see* Thomas et al). 2002;132:341-7
Wong C, Lai T, Hilly JMP, Stewart CEH, Farndon JR. Selective estrogen receptor modulators inhibit the effects of insulin-like growth factors in hyperparathyroidism. 2002;132:998-1007
Wong M (*see* Zarnegar et al). 2002;132:984-90
Woodle ES (*see* Buell et al). 2002;132:754-60
Wright BE, Freeman ML, Cumming JK, Quickel RR, Mandal AK. Current management of common bile duct stones: is there a role for laparoscopic cholecystectomy and intraoperative endoscopic retrograde cholangiopancreatography as a single-stage procedure. 2002;132:729-37
Wu H (*see* Moul et al). 2002;132:213-9
Wu HS, Liu YC, Kao A, Wang JJ, Ho ST. Using technetium 99m tetrofosmin parathyroid imaging to detect parathyroid adenoma and its relation to P-glycoprotein expression. 2002;132:456-60
Wunderlich A (*see* Zielke et al). 2002;132:1056-63

X

Xu X (*see* Maxhimer et al). 2002;132:326-33
Xue L, Greisler HP. Angiogenic effect of fibroblast growth factor-1 and vascular endothelial growth factor and their synergism in a novel in vitro quantitative fibrin-based 3-dimensional angiogenesis system. 2002;132:259-67

Y

Yahanda A (*see* Ailawadi et al). 2002;132:689-96
Yamada N (*see* Onoda et al). 2002;132:17-9
Yano M (*see* Yoshioka et al). 2002;132:34-40
Yano S (*see* Aoyagi et al). 2002;132:20-6
Yao J (*see* Berger et al). 2002;132:310-6
Yasuda T (*see* Yoshioka et al). 2002;132:34-40
Yim JH (*see* Carty et al). 2002;132:1086-93
Yoshida M (*see* Kawachi et al). 2002;132:48-56
Yoshioka S, Fujiwara Y, Sugita Y, Okada Y, Yano M, Tamura S, Yasuda T, Takiguchi S, Shiozaki H, Monden M. Real-time rapid reverse transcriptase-polymerase chain reaction for intraoperative diagnosis of lymph node micrometastasis: clinical application for lymph node dissection in esophageal cancers. 2002;132:34-40
Young WF Jr (*see* Kendrick et al). 2002;132:1008-12

Z

Zager JS (*see* Stanziale et al). 2002;132:353-9
Zarnegar R, Brunaud L, Kanauchi H, Wong M, Fung M, Ginzinger D, Duh QY, Clark OH. Increasing the effectiveness of radioactive iodine therapy in the treatment of thyroid cancer using Trichostatin A, a histone deacetylase inhibitor. 2002;132:984-90
Zhu X (*see* Nwariaku et al). 2002;132:180-5
Zielke A, Middeke M, Hoffmann S, Colombo-Benkmann M, Barth P, Hassan I, Wunderlich A, Hofbauer LC, Duh QY. VEGF-mediated angiogenesis of human pheochromocytomas is associated to malignancy and inhibited by anti-VEGF antibodies in experimental tumors. 2002;132:1056-63
Zimmermann F (*see* Heidecki et al). 2002;132:495-501
Zuccaro G Jr (*see* Walsh et al). 2002;132:628-34

SUBJECT INDEX*

A

Ablation; *see* Catheter ablation

Academic medical centers
Issues in the recruitment and success of women in academic surgery (Sonnad and Colletti). 2002;132:415-9

Acidosis
Acidosis plus melphalan induces nitric oxide-mediated tumor regression in an isolated limb perfusion human melanoma xenograft model (Kelley et al). 2002;132:252-8

Adenocarcinoma
Adenovirus-mediated delivery of a soluble form of the VFGF receptor Flk1 delays the growth of murine and human pancreatic adenocarcinoma in mice (Tseng et al). 2002;132:857-65

Adenocarcinoma, mucinous
Medial pancreatectomy: a multi-institutional retrospective study of 53 patients by the French Pancreas Club (Savanet et al). 2002;132:836-43
Surgical management of intraductal papillary mucinous tumor of the pancreas (Doi et al). 2002;132:80-5

Adenocarcinoma, papillary
Medial pancreatectomy: a multi-institutional retrospective study of 53 patients by the French Pancreas Club (Savanet et al). 2002;132:836-43

Adenoma
Expression of kinase genes in primary hyperparathyroidism: adenoma versus hyperplastic parathyroid tissue (Schachter et al). 2002;132:1094-9
Using technetium 99m tetrofosmin parathyroid imaging to detect parathyroid adenoma and its relation to P-glycoprotein expression (Wu et al). 2002;132:456-60

Adoptive transfer
Transfer of "infectious" cardiac allograft tolerance induced by donor-specific transfusion (Kataoka et al). 2002;132:167-72

Adrenal cortex neoplasms
Aldosterone-secreting adrenocortical carcinomas are associated with unique operative risks and outcomes (Kendrick et al). 2002;132:1008-12

Adrenal gland diseases
Arterial hypertension due to primary adrenal hydatid cyst (Escudero et al). 2002;132:894-5

Adrenal gland neoplasms
Apoptosis regulating genes, bcl-2 and bax, and human telomerase reverse transcriptase messenger RNA expression in adrenal tumors: possible diagnostic and prognostic importance (Kanuchi et al). 2002;132:1021-7

Adrenalectomy
Quality of life after laparoscopic bilateral adrenalectomy for Cushing's disease (Hawn et al). 2002;132:1064-9

Age factors
Does increasing age have a negative impact on six-month functional outcome after coronary artery bypass (Hedeshian et al). 2002;132:239-44
Pelvic fracture in the elderly is associated with increased mortality (O'Brien et al). 2002;132:710-5

Albumins
25% albumin modulates adhesive interactions between neutrophils and the endothelium following shock/resuscitation (Powers et al). 2002;132:391-8

Aldosterone
Aldosterone-secreting adrenocortical carcinomas are associated with unique operative risks and outcomes (Kendrick et al). 2002;132:1008-12

Anastomosis, Roux-en-Y
Assessment of routine elimination of postoperative nasogastric decompression after Roux-en-Y gastric bypass (Huerta et al). 2002;132:844-8
Biliary complications in adult living donor liver transplantation with duct-to-duct hepaticocholedochostomy or Roux-en-Y hepaticojejunostomy biliary reconstruction (Kawachi et al). 2002;132:48-56
Evolution of minimally invasive bariatric surgery (Gould et al). 2002;132:565-72

Anastomosis, surgical
Hospital costs and risk factors associated with complications of the ileal pouch anal anastomosis (Swenson et al). 2002;132:767-74
Prospective, randomized evaluation of a cuffed expanded polytetrafluoroethylene graft for hemodialysis vascular access (Sorom et al). 2002;132:135-40

Antigens, CD40
Targeted gene therapy with CD40Ig to induce long-term acceptance of liver allografts (Chang et al). 2002;132:149-56

Antigens, CD59
Complement regulatory protein CD59 involves c-SRC related tyrosine phosphorylation of the creatine transporter in skeletal muscle during sepsis (Wang et al). 2002;132:334-40

Antineoplastic agents
Ionizing radiation potentiates the antitumor efficacy of oncolytic herpes simplex virus G207 by upregulating ribonucleotide reductase (Stanziale et al). 2002;132:353-9

Aortic aneurysm, abdominal
Adjusting surgical mortality rates for patient comorbidities: more harm than good (Finlayson et al). 2002;132:787-94
The cost-effectiveness of a "quick-screen" program for abdominal aortic aneurysms (Lee et al). 2002;132:399-407

Apoptosis
Apoptosis regulating genes, bcl-2 and bax, and human telomerase reverse transcriptase messenger RNA expression in adrenal tumors: possible diagnostic and prognostic importance (Kanuchi et al). 2002;132:1021-7
The expression of proliferating cell nuclear antigen, p53, p21, and apoptosis in primary gastric lymphoma (Aoyagi et al). 2002;132:20-6
Restoration of E-cadherin/-catenin expression in pancreatic cancer cells inhibits growth by induction of apoptosis (Lowy et al). 2002;132:141-8
Selective targeting of the nuclear factor-B pathway enhances tumor necrosis factor-related apoptosis-inducing ligand-mediated pancreatic cancer cell death (Thomas et al). 2002;132:127-34
The signaling protein Rho is necessary for vascular smooth muscle migration and survival but not for proliferation (Liu et al). 2002;132:317-25
Transforming growth factor-1 induces apoptosis in vascular endothelial cells by activation of mitogen-activated protein kinase (Hyman et al). 2002;132:173-9
Transforming growth factor-1 induces hepatocyte apoptosis by a c-Jun independent mechanism (Samson et al). 2002;132:441-9

Arginine
Invited commentary: new roles for immune-enhancing diets (Ochoa and Ford). 2002;132:815-6
Preoperative oral arginine and n-3 fatty acid supplementation improves the immunometabolic host response and outcome after colorectal resection for cancer (Braga et al). 2002;132:805-14

Aspartate transaminase
Examination of the role of abdominal computed tomography in the evaluation of victims of trauma with increased aspartate aminotransferase in the era of focused abdominal sonography for trauma (Stassen et al). 2002;132:642-7

*July, pp 1-114; August, pp 115-420; September, pp 421-538; October, pp 539-782; November, 783-908; December 909-1160.

Athletic injuries
Hockey groin syndrome (Smedberg and Roos). 2002;132:906 (Letter)
Reply: hockey groin syndrome (Brown and Feldman). 2002;132:906-7 (Letter reply)

Authorship
Responsibility of authorship (Sarr and Warshaw). 2002;132:521 (Editorial)

Autonomic pathways
Effects of extrinsic autonomic denervation and myenteric plexus transection on colonic motility in conscious dogs (Tanabe et al). 2002;132:471-9

B

Back pain
End-stage skeletal manifestations of severe hyperparathyroidism (Raeburn et al). 2002;132:896-8

Barrett esophagus
Communicating esophageal duplication with Barrett's esophagus and high-grade dysplasia (Jobe et al). 2002;132:112-4

Bile ducts
New strategies to prevent laparoscopic bile duct injury- surgeons can learn from pilots (Hugh). 2002;132:826-35

Biliary tract
Small intestinal submucosa as a bioscaffold for biliary tract regeneration (Rosen et al). 2002;132:480-6

Biliary tract diseases
Gram-negative bacteria killed by complement are associated with more severe biliary infections and produce more tumor necrosis factor-α in sera (Stewart et al). 2002;132:408-14

Biliary tract neoplasms
Improved survival in resected biliary malignancies (Nakeeb et al). 2002;132:555-64

Biopsy, needle
The results of ultrasound-guided fine-needle aspiration biopsy for evaluation of nodular thyroid disease (Mittendorf et al). 2002;132:648-54

Blood flow velocity
Omega-3 fatty acids in immune-enhancing enteral diets selectively increase blood flow to the ileum by a bile acid dependent mechanism (Matheson et al). 2002;132:673-81

Blood glucose
Microdialysis measurements demonstrate a shift to nonoxidative glucose metabolism in rat pancreatic islets transplanted beneath the renal capsule (Carlsson et al). 2002;132:487-94

Blood loss, surgical
Vascular complications associated with pancreaticoduodenectomy adversely affect clinical outcome (Kim et al) 2002;132:738-47

Blood transfusions, autologous
Transfer of "infectious" cardiac allograft tolerance induced by donor-specific transfusion (Kataoka et al). 2002;132:167-72

Braunwald, Nina Starr
Nina (Kosiosk). 2002;132:901-2

Breast neoplasms
Does aggressive local therapy improve survival in metastatic breast cancer (Khan et al). 2002;132:620-7
Fibroblasts promote breast cancer cell invasion by upregulating tumor matrix metalloproteinase-9 production (Wang et al). 2002;132:220-5
Gastrointestinal metastasis to the breast (Madan et al). 2002;132:889-93
Heparanase-1 expression is associated with the metastatic potential of breast cancer (Maxhimer et al). 2002;132:326-33
Identification of mitogen-activated protein kinase kinase as a chemoresistant pathway in MCF-7 cells by using gene expression microarray (Weldon et al). 2002;132:293-301
Juvenile fibroadenoma of the breast (Wechselberger et al). 2002;132:106-7

Breath tests
Recovery of liver function in two-third partial hepatectomized rats evaluated by L-[1-^{13}C]phenylalanine breath test (Ishii et al). 2002;132:849-56

Burns
The effect of prolonged euglycemic hyperinsulinemia on lean body mass after severe burn (Thomas et al). 2002;132:341-7

C

Cadherins
Restoration of E-cadherin/-catenin expression in pancreatic cancer cells inhibits growth by induction of apoptosis (Lowy et al). 2002;132:141-8
Tyrosine phosphorylation of vascular endothelial cadherin and the regulation of microvascular permeability (Nwariaku et al). 2002;132:180-5

Calcium, dietary
Is routine supplementation therapy (calcium and vitamin D) useful after total thyroidectomy (Bellantone et al). 2002;132:2009-13

Carcinoma, islet cell
Concurrent resections of pancreatic islet cell cancers with synchronous hepatic metastases: outcomes of an aggressive approach (Sarmiento et al). 2002;132:976-83

Carcinoma, medullary
Inhibition of medullary thyroid carcinoma cell proliferation and RET phosphorylation by tyrosine kinase inhibitors (Cohen et al). 2002;132:960-7
A new therapeutic approach in medullary thyroid cancer treatment: inhibition of oncogenic RET signaling by adenoviral vector-mediated expression of a dominant-negative RET mutant (Drosten et al). 2002;132:991-7

Carcinoma, papillary
Minimally invasive video-assisted thyroidectomy for papillary carcinoma: a prospective study of its completeness (Miccoli et al). 2002;132:1070-4
Pharyngolaryngoesophagectomy for well-differentiated papillary thyroid carcinoma widely invading the upper aerodigestive tract (Omura et al). 2002;132:885-8

Carcinoma, squamous cell
Indications for abdominal para-aortic lymph node dissection in patients with esophageal squamous cell carcinoma (Shimada et al). 2002;132:93-9
Neoadjuvant treatment of esophageal cancer: immunosuppression following combined radiochemotherapy (Heidecke et al). 2002;132:495-501
Prognostic significance of serum p53 antibody in patients with esophageal squamous cell carcinoma (Shimada et al). 2002;132:41-7

Cardiovascular diseases
Cardiac dysfunction in mild primary hyperparathyroidism assessed by radionuclide angiography and echocardiography before and after parathyroidectomy (Almqvist et al). 2002;132:2026-32

Career choice
Financial returns on specialty training for surgeons (Weeks and Wallace). 2002;132:795-802
Invited commentary: how do we recruit bright and selflessly capable students into the gratifying profession of surgery (Harken). 2002;132:803-4
The SUS loan repayment program for surgeon/scientists: will it work (Rhodes). 2002;132:785

Catheter ablation
Radiofrequency ablation of liver tumors: influence of technique and tumor size (Kuvshinoff and Ota). 2002;132:605-12

Catheters, indwelling
Prospective, randomized evaluation of a cuffed expanded polytetrafluoroethylene graft for hemodialysis vascular access (Sorom et al). 2002;132:135-40

Cell adhesion
25% albumin modulates adhesive interactions between neutrophils and the endothelium following shock/resuscitation (Powers et al). 2002;132:391-8
Platelet-activating factor priming of inflammatory cell activity requires cellular adherence (Cuschieri et al). 2002;132:157-66

Cell membrane permeability
Ethanol impairs intestinal barrier defense by modulation of immunoglobulin A transport (Diebel et al). 2002;132:573-81

Cell movement
The signaling protein Rho is necessary for vascular smooth muscle migration and survival but not for proliferation (Liu et al). 2002;132:317-25

Central Surgical Association
Presidential address: we have met the enemy (Baker). 2002;132:539-44

Cerebrovascular accident
The effect of intraoperative duplex on the management of postoperative stroke (Sheehan et al). 2002;132:761-6

Certification
Patient outcomes for segmental colon resection according to surgeon's training, certification, and experience (Prystowsky et al). 2002;132:663-72

Chemotherapy, adjuvant
Improved survival in resected biliary malignancies (Nakeeb et al). 2002;132:555-64
Neoadjuvant treatment of esophageal cancer: immunosuppression following combined radiochemotherapy (Heidecke et al). 2002;132:495-501

Child
Surgical management of duodenal injuries in children (Ladd et al). 2002;132:748-53

Cholangiocarcinoma
Improved survival in resected biliary malignancies (Nakeeb et al). 2002;132:555-64

Cholangiopancreatography, endoscopic retrograde
Current management of common bile duct stones: is there a role for laparoscopic cholecystectomy and intraoperative endoscopic retrograde cholangiopancreatography as a single-stage procedure (Wright et al). 2002;132:729-37

Cholecystectomy, laparoscopic
Current management of common bile duct stones: is there a role for laparoscopic cholecystectomy and intraoperative endoscopic retrograde cholangiopancreatography as a single-stage procedure (Wright et al). 2002;132:729-37
New strategies to prevent laparoscopic bile duct injury- surgeons can learn from pilots (Hugh). 2002;132:826-35
Recovery after uncomplicated laparoscopic cholecystectomy (Bisgaard et al). 2002;132:817-25

Cholecystitis
Hemorrhagic acalculous cholecystitis associated with hemodialysis (Iki et al). 2002;132:903 (Letter)

Choledochostomy
Biliary complications in adult living donor liver transplantation with duct-to-duct hepaticocholedochostomy or Roux-en-Y hepaticojejunostomy biliary reconstruction (Kawachi et al). 2002;132:48-56

Cholelithiasis
Bouveret's syndrome (Bhama et al). 2002;132:104-5

Clinical trials
Invited commentary: surgeons and surgical trials-why we must assume a leadership role (Wells). 2002;132:519-20
Randomization in surgical trials (Hall and Hall). 2002;132:513-8

Cognition
Parathyroidectomy improves concentration and retentiveness in patients with primary hyperparathyroidism (Prager et al). 2002;132:930-6

Colitis, ulcerative
Portal vein thrombi after restorative proctocolectomy (Remzi et al). 2002;132:655-62

Colon
Effects of extrinsic autonomic denervation and myenteric plexus transection on colonic motility in conscious dogs (Tanabe et al). 2002;132:471-9
Tissue-engineered colon exhibits function in vivo (Grikscheit et al). 2002;132:200-4

Colonic neoplasms
Are high-volume surgeons and hospitals the most important predictors of inhospital outcome for colon cancer resection (Ko et al). 2002;132:268-73
Necrotic infected liver metastasis from colon cancer (Sarmiento and Sarr). 2002;132:110-1

Colorectal neoplasms
Preoperative oral arginine and n-3 fatty acid supplementation improves the immunometabolic host response and outcome after colorectal resection for cancer (Braga et al). 2002;132:805-14

Common bile duct calculi
Current management of common bile duct stones: is there a role for laparoscopic cholecystectomy and intraoperative endoscopic retrograde cholangiopancreatography as a single-stage procedure (Wright et al). 2002;132:729-37

Communication
Surgeons' tone of voice: a clue to malpractice history (Ambady et al). 2002;132:5-9

Comorbidity
Adjusting surgical mortality rates for patient comorbidities: more harm than good (Finlayson et al). 2002;132:787-94

Compartment syndromes
Diagnosis and management of chronic compartment syndrome (Turnipseed). 2002;132:613-9

Complement
Gram-negative bacteria killed by complement are associated with more severe biliary infections and produce more tumor necrosis factor-α in sera (Stewart et al). 2002;132:408-14

Convalescence
Recovery after uncomplicated laparoscopic cholecystectomy (Bisgaard et al). 2002;132:817-25

Coronary artery bypass
Does increasing age have a negative impact on six-month functional outcome after coronary artery bypass (Hedeshian et al). 2002;132:239-44
The effect of decreasing length of stay on discharge destination and readmission after coronary bypass operation (Bohmer et al). 2002;132:10-5
Off-pump coronary artery bypass grafting for patients with three-vessel disease (Hirose et al). 2002;132:57-65

Corrections. *see also* Retractions

Correspondence; *see* Letters to the Editors

Costs and cost analysis
The effect of decreasing length of stay on discharge destination and readmission after coronary bypass operation (Bohmer et al). 2002;132:10-5
Hospital costs and risk factors associated with complications of the ileal pouch anal anastomosis (Swenson et al). 2002;132:767-74
Invited commentary: financial implications of early hospital discharge and readmission (Lahey). 2002;132:16

CpG islands
Preexposure of murine macrophages to CpG-containing oligonucleotides results in nuclear factor B p50 homodimer-associated hyporesponsiveness (Jin et al). 2002;132:245-51

Creatine
Complement regulatory protein CD59 involves c-SRC related tyrosine phosphorylation of the creatine transporter in skeletal muscle during sepsis (Wang et al). 2002;132:334-40

Cushing syndrome
Quality of life after laparoscopic bilateral adrenalectomy for Cushing's disease (Hawn et al). 2002;132:1064-9

Cystadenocarcinoma, mucinous
Prospective preoperative determination of mucinous pancreatic cystic neoplasms (Walsh et al). 2002;132:628-34

Cystoscopy
Profound hypoglycemia after intravasation of cystogram: a previously unreported complication of cystogram (Nguyen et al). 2002;132:537 (Letter)

Cytokines
Natural killer cells contribute to the lethality of a murine model of *Escherichia coli* infection (Badgwell et al). 2002;132:205-12
Peritoneal inflammatory cells in acute pancreatitis: relationship of infiltration dynamics and cytokine production with severity of illness (Mikami et al). 2002;132:86-92

Cytoskeletal proteins
Restoration of E-cadherin/-catenin expression in pancreatic cancer cells inhibits growth by induction of apoptosis (Lowy et al). 2002;132:141-8

D

Digestive system surgical procedures
The case for fellowships in gastrointestinal and laparoendoscopic surgery (Hunter). 2002;132:523-5

Disaster planning
The World Trade Center terrorist attack: changing priorities for surgeons in disaster response (Briggs and Schnitzer). 2002;132:506-12

Disasters
Remembering September 11: reflections from Bellevue Hospital and New York University Medical Center (Marcus et al). 2002;132:502-5

Ductoscopy; see Endoscopy

Duodenum
Surgical management of duodenal injuries in children (Ladd et al). 2002;132:748-53

E

Echinococcosis
Arterial hypertension due to primary adrenal hydatid cyst (Escudero et al). 2002;132:894-5
Spontaneous rupture of primary musculoskeletal hydatid cyst (Natarajan et al). 2002;132:533-4

Editorials
Forces for change in surgical training: unintended consequences (Warshaw). 2002;132:100-1
Responsibility of authorship (Sarr and Warshaw). 2002;132:521 (Editorial)

Education, medical
Forces for change in surgical training: unintended consequences (Warshaw). 2002;132:100-1 (Editorial)
Virtual reality: immersive hepatic surgery educational environment (Silverstein et al). 2002;132:274-7

Education, medical, graduate
The case for fellowships in gastrointestinal and laparoendoscopic surgery (Hunter). 2002;132:523-5
Introduction: subspecialty fellowships in general surgery (Warshaw and Sarr). 2002;132:522
Patient outcomes for segmental colon resection according to surgeon's training, certification, and experience (Prystowsky et al). 2002;132:663-72
Presidential address: we have met the enemy (Baker). 2002;132:539-44
Society of University Surgeons statement on surgical resident work hours and education (Cole et al). 2002;132:115-8

Electromyography
Computer-assisted evoked electromyography with stimulating surgical instruments for recurrent/external laryngeal nerve identification and preservation in thyroid and parathyroid operation (Dackiw et al). 2002;132:2000-8

Embolization, therapeutic
Effect of portal vein embolization on function of the nonembolized lobes of the liver: evaluation by first-pass hepatic lidocaine extraction in dogs (Tominaga et al). 2002;132:424-30

Emergency medical services
Remembering September 11: reflections from Bellevue Hospital and New York University Medical Center (Marcus et al). 2002;132:502-5
The World Trade Center terrorist attack: changing priorities for surgeons in disaster response (Briggs and Schnitzer). 2002;132:506-12

Endarterectomy, carotid
The effect of intraoperative duplex on the management of postoperative stroke (Sheehan et al). 2002;132:761-6

Endopeptidases
Recombinant human neutral endopeptidase ameliorates pancreatic elastase-induced lung injury (Lightner et al). 2002;132:193-9

Endoscopy
Directed duct excision by using mammary ductoscopy in patients with pathologic nipple discharge (Dietz et al). 2002;132:582-8

Endosonography
Pitfalls in the surgical treatment of insulinoma (Richards et al). 2002;132:1040-9

Endothelial growth factors
Adenovirus-mediated delivery of a soluble form of the VFGF receptor Flk1 delays the growth of murine and human pancreatic adenocarcinoma in mice (Tseng et al). 2002;132:857-65
Angiogenic effect of fibroblast growth factor-1 and vascular endothelial growth factor and their synergism in a novel in vitro quantitative fibrin-based 3-dimensional angiogenesis system (Xue and Greisler). 2002;132:259-67
Characterization of incisional wound healing in inducible nitric oxide synthase knockout mice (Most et al). 2002;132:866-76
VEGF-mediated angiogenesis of human pheochromocytomas is associated to malignancy and inhibited by anti-VEGF antibodies in experimental tumors (Zielke et al). 2002;132:1056-63

Endothelium
25% albumin modulates adhesive interactions between neutrophils and the endothelium following shock/resuscitation (Powers et al). 2002;132:391-8
Transforming growth factor-1 induces apoptosis in vascular endothelial cells by activation of mitogen-activated protein kinase (Hyman et al). 2002;132:173-9
Tyrosine phosphorylation of vascular endothelial cadherin and the regulation of microvascular permeability (Nwariaku et al). 2002;132:180-5

Enteral nutrition
Invited commentary: new roles for immune-enhancing diets (Ochoa and Ford). 2002;132:815-6
Omega-3 fatty acids in immune-enhancing enteral diets selectively increase blood flow to the ileum by a bile acid dependent mechanism (Matheson et al). 2002;132:673-81
Preoperative oral arginine and n-3 fatty acid supplementation improves the immunometabolic host response and outcome after colorectal resection for cancer (Braga et al). 2002;132:805-14

Epidermal growth factor
A serum factor after intestinal resection stimulates epidermal growth factor receptor signaling and proliferation in intestinal epithelial cells (Juno et al). 2002;132:377-83

Epithelial cells
Interleukin-10 activates the transcription factor C/EBP and the interleukin-6 gene promoter in human intestinal epithelial cells (Robb et al). 2002;132:226-31

Epithelium
Neutrophils increase paracellular permeability of restituted ischemic-injured porcine ileum (Gayle et al). 2002;132:461-70

Escherichia coli infections
Natural killer cells contribute to the lethality of a murine model of *Escherichia coli* infection (Badgwell et al). 2002;132:205-12

Esophageal achalasia
Floppy Dor fundoplication after esophagocardiomyotomy for achalasia (Donahue et al). 2002;132:716-23

Esophageal diseases
Communicating esophageal duplication with Barrett's esophagus and high-grade dysplasia (Jobe et al). 2002;132:112-4
Esophageal neoplasms
Indications for abdominal para-aortic lymph node dissection in patients with esophageal squamous cell carcinoma (Shimada et al). 2002;132:93-9
Neoadjuvant treatment of esophageal cancer: immunosuppression following combined radiochemotherapy (Heidecke et al). 2002;132:495-501
Prognostic significance of serum p53 antibody in patients with esophageal squamous cell carcinoma (Shimada et al). 2002;132:41-7
Real-time rapid reverse transcriptase-polymerase chain reaction for intraoperative diagnosis of lymph node micrometastasis: clinical application for cervical lymph node dissection in esophageal cancers. (Yoshioka et al). 2002;132:34-40
Esophagectomy
Floppy Dor fundoplication after esophagocardiomyotomy for achalasia (Donahue et al). 2002;132:716-23
Pharyngolaryngoesophagectomy for well-differentiated papillary thyroid carcinoma widely invading the upper aerodigestive tract (Omura et al). 2002;132:885-8
Estradiol
17-Beta-estradiol protects the liver against warm ischemia/reperfusion injury and is associated with increased serum nitric oxide and decreased tumor necrosis factor-alpha (Eckhoff et al). 2002;132:302-9
Ethanol
Ethanol impairs intestinal barrier defense by modulation of immunoglobulin A transport (Diebel et al). 2002;132:573-81
Ethics, medical
Disclosure of intraoperative events (Jones and McCullough). 2002;132:531-2
Exudates and transudates
Directed duct excision by using mammary ductoscopy in patients with pathologic nipple discharge (Dietz et al). 2002;132:582-8

F

Fascia
Diagnosis and management of chronic compartment syndrome (Turnipseed). 2002;132:613-9
Fatty acids, omega-3
Invited commentary: new roles for immune-enhancing diets (Ochoa and Ford). 2002;132:815-6
Omega-3 fatty acids in immune-enhancing enteral diets selectively increase blood flow to the ileum by a bile acid dependent mechanism (Matheson et al). 2002;132:673-81
Preoperative oral arginine and n-3 fatty acid supplementation improves the immunometabolic host response and outcome after colorectal resection for cancer (Braga et al). 2002;132:805-14
Fellowships and scholarships. *see also* Training support
The case for fellowships in gastrointestinal and laparoendoscopic surgery (Hunter). 2002;132:523-5
General surgery and fellowship training: mutually beneficial or competing entities (Grosfeld). 2002;132:526-8
Introduction: subspecialty fellowships in general surgery (Warshaw and Sarr). 2002;132:522
Surgical fellowships and specialization (Lewis). 2002;132:529-30
Fibroadenoma
Juvenile fibroadenoma of the breast (Wechselberger et al). 2002;132:106-7
Fibroblast growth factor
Angiogenic effect of fibroblast growth factor-1 and vascular endothelial growth factor and their synergism in a novel in vitro quantitative fibrin-based 3-dimensional angiogenesis system (Xue and Greisler). 2002;132:259-67
Fibroblasts
Fibroblasts promote breast cancer cell invasion by upregulating tumor matrix metalloproteinase-9 production (Wang et al). 2002;132:220-5
Fractures
Pelvic fracture in the elderly is associated with increased mortality (O'Brien et al). 2002;132:710-5
Fundoplication
Floppy Dor fundoplication after esophagocardiomyotomy for achalasia (Donahue et al). 2002;132:716-23

G

Gallbladder neoplasms
Improved survival in resected biliary malignancies (Nakeeb et al). 2002;132:555-64
Gastric bypass
Evolution of minimally invasive bariatric surgery (Gould et al). 2002;132:565-72
Gastric outlet obstruction
Bouveret's syndrome (Bhama et al). 2002;132:104-5
Gastroesophageal reflux
Floppy Dor fundoplication after esophagocardiomyotomy for achalasia (Donahue et al). 2002;132:716-23
Gastrointestinal motility
Effects of extrinsic autonomic denervation and myenteric plexus transection on colonic motility in conscious dogs (Tanabe et al). 2002;132:471-9
Gastrointestinal neoplasms
Activation of the ras/raf-1 signal transduction pathway in carcinoid tumor cells results in morphologic transdifferentiation (Sippel and Chen). 2002;132:1035-9
Gastrointestinal metastasis to the breast (Madan et al). 2002;132:889-93
Gastroplasty
Long-term data indicate a progressive loss in efficacy of adjustable silicone gastric banding for the surgical treatment of morbid obesity (Doherty et al). 2002;132:724-8
Gelatinase B
Fibroblasts promote breast cancer cell invasion by upregulating tumor matrix metalloproteinase-9 production (Wang et al). 2002;132:220-5
Gene expression profiling
Identification of mitogen-activated protein kinase kinase as a chemoresistant pathway in MCF-7 cells by using gene expression microarray (Weldon et al). 2002;132:293-301
Gene fusion
Targeted gene therapy with CD40Ig to induce long-term acceptance of liver allografts (Chang et al). 2002;132:149-56
Genes, bcl-2
Apoptosis regulating genes, bcl-2 and bax, and human telomerase reverse transcriptase messenger RNA expression in adrenal tumors: possible diagnostic and prognostic importance (Kanuchi et al). 2002;132:1021-7
Genes, jun
Transforming growth factor-1 induces hepatocyte apoptosis by a c-Jun independent mechanism (Samson et al). 2002;132:441-9
Genes, myc
Importance of Sp1 consensus motifs in the MYCN promoter (Inge et al). 2002;132:232-8
Resistance to transforming growth factor-beta occurs in the presence of normal Smad activation (Berger et al). 2002;132:310-6
Genes, p53
The expression of proliferating cell nuclear antigen, p53, p21, and apoptosis in primary gastric lymphoma (Aoyagi et al). 2002;132:20-6
Genes, ras
Activation of the ras/raf-1 signal transduction pathway in carcinoid tumor cells results in morphologic transdifferentiation (Sippel and Chen). 2002;132:1035-9

Genetic predisposition to disease
Genetic disorders in pancreatitis: Implications in the pathogenesis of acute and chronic pancreatitis (Mössner and Teich). 2002;132:421-3
Genetic vectors
Adenovirus-mediated delivery of a soluble form of the VFGF receptor Flk1 delays the growth of murine and human pancreatic adenocarcinoma in mice (Tseng et al). 2002;132:857-65
A new therapeutic approach in medullary thyroid cancer treatment: inhibition of oncogenic RET signaling by adenoviral vector-mediated expression of a dominant-negative RET mutant (Drosten et al). 2002;132:991-7
Goiter, nodular
Current treatment of nodular goiter with hyperthyroidism (Plummer's disease): surgery versus radioiodine (Kang et al). 2002;132:916-23
Graft rejection
Bone marrow-derived liver stem cell and mature hepatocyte engraftment in livers undergoing rejection (Avital et al). 2002;132:384-90
The long-term survival and causes of death in patients who survive at least 1 year after liver transplantation (Vogt et al). 2002;132:775-80
Single nucleotide polymorphism (G994T) in the plasma platelet-activating factor-acetylhydrolase gene is associated with graft patency of femoropopliteal bypass (Unno et al). 2002;132:66-71
Gram-negative bacteria
Gram-negative bacteria killed by complement are associated with more severe biliary infections and produce more tumor necrosis factor-α in sera (Stewart et al). 2002;132:408-14
Groin
Hockey groin syndrome (Smedberg and Roos). 2002;132:906 (Letter)
Reply: hockey groin syndrome (Brown and Feldman). 2002;132:906-7 (Letter reply)
Guided tissue regeneration
Small intestinal submucosa as a bioscaffold for biliary tract regeneration (Rosen et al). 2002;132:480-6

H

Heart transplantation
Incidental diagnosis of gastric cancer in transplant recipients improves patient survival (Buell et al). 2002;132:754-60
Transfer of "infectious" cardiac allograft tolerance induced by donor-specific transfusion (Kataoka et al). 2002;132:167-72
Heme oxygenase (Decyclizing)
Intraischemic hypothermia differentially modulates oxidative stress proteins during mesenteric ischemia/reperfusion (Hassoun et al). 2002;132:369-76
Hemodialysis
Hemorrhagic acalculous cholecystitis associated with hemodialysis (Iki et al). 2002;132:903 (Letter)
Prospective, randomized evaluation of a cuffed expanded polytetrafluoroethylene graft for hemodialysis vascular access (Sorom et al). 2002;132:135-40
Hemorrhage
Learning and memory is preserved after induced asanguineous hyperkalemic hypothermic arrest in a swine model of traumatic exsanguination (Alam et al). 2002;132:278-88
Heparin lyase
Heparanase-1 expression is associated with the metastatic potential of breast cancer (Maxhimer et al). 2002;132:326-33
Heparitin sulfate
Heparanase-1 expression is associated with the metastatic potential of breast cancer (Maxhimer et al). 2002;132:326-33
Hepatectomy
Effect of portal vein embolization on function of the nonembolized lobes of the liver: evaluation by first-pass hepatic lidocaine extraction in dogs (Tominaga et al). 2002;132:424-30
Surgical outcomes of isolated caudate lobe resection: a single series of 19 patients (Sarmiento et al). 2002;132:697-709
The use of quantitative Doppler ultrasonography to predict posthepatectomy complications on the basis of hepatic hemodynamic parameters (Sugimoto et al). 2002;132:431-40
Hereditary diseases
Genetic disorders in pancreatitis: Implications in the pathogenesis of acute and chronic pancreatitis (Mössner and Teich). 2002;132:421-3
Herpesvirus 1, human
Ionizing radiation potentiates the antitumor efficacy of oncolytic herpes simplex virus G207 by upregulating ribonucleotide reductase (Stanziale et al). 2002;132:353-9
Hip fractures
Pelvic fracture in the elderly is associated with increased mortality (O'Brien et al). 2002;132:710-5
Histone deacetylase
Increasing the effectiveness of radioactive iodine therapy in the treatment of thyroid cancer using Trichostatin A, a histone deacetylase inhibitor (Zarnegar et al). 2002;132:984-90
History of medicine
Nina (Kosiosk). 2002;132:901-2
O. H. W. and the gift of total recall (MacLean). 2002;132:102-3
Presidential address: boiling water to iodine-a story of unparalleled collaboration (Grant). 2002;132:909-15
Surgical fellowships and specialization (Lewis). 2002;132:529-30
Hockey
Hockey groin syndrome (Smedberg and Roos). 2002;132:906 (Letter)
Reply: hockey groin syndrome (Brown and Feldman). 2002;132:906-7 (Letter reply)
Hospital mortality
Adjusting surgical mortality rates for patient comorbidities: more harm than good (Finlayson et al). 2002;132:787-94
Hydatid cysts; see Echinococcosis
Hypercalcemia
Parathyroidectomy improves concentration and retentiveness in patients with primary hyperparathyroidism (Prager et al). 2002;132:930-6
Hyperinsulinemia
The effect of prolonged euglycemic hyperinsulinemia on lean body mass after severe burn (Thomas et al). 2002;132:341-7
Hyperparathyroidism
Accuracy of selective venous sampling for intact parathyroid hormone in difficult patients with recurrent or persistent hyperparathyroidism (Jones et al). 2002;132:944-51
Cardiac dysfunction in mild primary hyperparathyroidism assessed by radionuclide angiography and echocardiography before and after parathyroidectomy (Almqvist et al). 2002;132:2026-32
Do the National Institutes of Health consensus guidelines for parathyroidectomy predict symptom severity and surgical outcome in patients with primary hyperparathyroidism (Sywak et al). 2002;132:1013-20
Elevated serum parathyroidectomy for primary sporadic hyperparathyroidism (Carty et al). 2002;132:1086-93
End-stage skeletal manifestations of severe hyperparathyroidism (Raeburn et al). 2002;132:896-8
Expression of kinase genes in primary hyperparathyroidism: adenoma versus hyperplastic parathyroid tissue (Schachter et al). 2002;132:1094-9
Improving the yield of preoperative parathyroid localization: technetium Tc 99 m-sestamibi imaging after thyroid suppression (Royal et al). 2002;132:968-75
Limited versus radical parathyroidectomy in familial isolated primary hyperparathyroidism (Carneiro et al). 2002;132:1050-5
Long-term results of less than total parathyroidectomy for hyperparathyroidism in multiple endocrine neoplasia type 1 (Arnalsteen et al). 2002;132:2019-25
Multiple endocrine neoplasia type 1 polymorphism D418D is associated with sporadic primary hyperparathyroidism (Correa et al). 2002;132:450-5

Parathyroidectomy improves concentration and retentiveness in patients with primary hyperparathyroidism (Prager et al). 2002;132:930-6
Recovery pattern of patients with osteitis fibrosa cystica in primary hyperparathyroidism after successful parathyroidectomy (Agarwal et al). 2002;132:1075-85
Selective estrogen receptor modulators inhibit the effects of insulin-like growth factors in hyperparathyroidism (Wong et al). 2002;132:998-1007
Supernumerary intravagal parathyroid hyperplagia (Pawlik and Thompson). 2002;132:903-4 (Letter)
Utility of rapid intraoperative parathyroid hormone assay to predict severe postoperative hypocalcemia after reoperation for hyperparathyroidism (Elaraj et al). 2002;132:1028-34

Hyperplasia
Expression of kinase genes in primary hyperparathyroidism: adenoma versus hyperplastic parathyroid tissue (Schachter et al). 2002;132:1094-9
The signaling protein Rho is necessary for vascular smooth muscle migration and survival but not for proliferation (Liu et al). 2002;132:317-25

Hypertension
Arterial hypertension due to primary adrenal hydatid cyst (Escudero et al). 2002;132:894-5

Hyperthyroidism
Current treatment of nodular goiter with hyperthyroidism (Plummer's disease): surgery versus radioiodine (Kang et al). 2002;132:916-23

Hypocalcemia
Is routine supplementation therapy (calcium and vitamin D) useful after total thyroidectomy (Bellantone et al). 2002;132:2009-13
Utility of rapid intraoperative parathyroid hormone assay to predict severe postoperative hypocalcemia after reoperation for hyperparathyroidism (Elaraj et al). 2002;132:1028-34

Hypoglycemia
Profound hypoglycemia after intravasation of cystogram: a previously unreported complication of cystogram (Nguyen et al). 2002;132:537 (Letter)

Hypothermia, induced
Intraischemic hypothermia differentially modulates oxidative stress proteins during mesenteric ischemia/reperfusion (Hassoun et al). 2002;132:369-76
Learning and memory is preserved after induced asanguineous hyperkalemic hypothermic arrest in a swine model of traumatic exsanguination (Alam et al). 2002;132:278-88

I

IgA
Ethanol impairs intestinal barrier defense by modulation of immunoglobulin A transport (Diebel et al). 2002;132:573-81

Ileostomy
Tissue-engineered colon exhibits function in vivo (Grikscheit et al). 2002;132:200-4

Images in surgery
Arterial hypertension due to primary adrenal hydatid cyst (Escudero et al). 2002;132:894-5
Bouveret's syndrome (Bhama et al). 2002;132:104-5
Communicating esophageal duplication with Barrett's esophagus and high-grade dysplasia (Jobe et al). 2002;132:112-4
End-stage skeletal manifestations of severe hyperparathyroidism (Raeburn et al). 2002;132:896-8
Juvenile fibroadenoma of the breast (Wechselberger et al). 2002;132:106-7
Leiomyosarcoma arising from the superior mesenteric vein (Goldin et al). 2002;132:108-9
Lymphedema praecox of the lower extremity (Bauer et al). 2002;132:899-900
Spontaneous rupture of primary musculoskeletal hydatid cyst (Natarajan et al). 2002;132:533-4
Torsion of a wandering spleen (Sayeed et al). 2002;132:535-6

Immune adherence reaction
Platelet-activating factor priming of inflammatory cell activity requires cellular adherence (Cuschieri et al). 2002;132:157-66

Immune system
Biological role and clinical implications of mast cells in surgery (Dowdall et al). 2002;132:1-4

Immunity
Natural killer cells contribute to the lethality of a murine model of *Escherichia coli* infection (Badgwell et al). 2002;132:205-12

Immunoglobulins
Ethanol impairs intestinal barrier defense by modulation of immunoglobulin A transport (Diebel et al). 2002;132:573-81

Immunosuppressive agents
A novel leflunomide derivative, FK778, for immunosuppression after kidney transplantation in dogs (Jin et al). 2002;132:72-9
Technical and immunologic progress in simultaneous pancreas-kidney transplantation (Kaufman et al). 2002;132:545-54

Inflammation
Peritoneal inflammatory cells in acute pancreatitis: relationship of infiltration dynamics and cytokine production with severity of illness (Mikami et al). 2002;132:86-92
Platelet-activating factor priming of inflammatory cell activity requires cellular adherence (Cuschieri et al). 2002;132:157-66

Insulin-like growth factor binding protein 3
Plasma from patients undergoing major open surgery stimulates in vitro tumor growth: lower insulin-like growth factor binding protein 3 levels may, in part, account for this change (Kirman et al). 2002;132:186-92

Insulin-like growth factors; *see* Somatomedins

Insulinoma
Pitfalls in the surgical treatment of insulinoma (Richards et al). 2002;132:1040-9
Rapid insulin assay for intraoperative confirmation of complete resection of insulinomas (Carneiro et al). 2002;132:937-43

Interferon type II
Interferon-γ gene polymorphisms and the development of sepsis in patients with trauma (Stassen et al). 2002;132:289-92
Production of interferon-gamma by tumor-sensitized T cells is essential for interleukin-12-induced complete tumor eradication (Lee et al). 2002;132:365-8

Interleukin-6
Interleukin-10 activates the transcription factor C/EBP and the interleukin-6 gene promoter in human intestinal epithelial cells (Robb et al). 2002;132:226-31

Interleukin-10
Interleukin-10 activates the transcription factor C/EBP and the interleukin-6 gene promoter in human intestinal epithelial cells (Robb et al). 2002;132:226-31

Interleukin-12
Production of interferon-gamma by tumor-sensitized T cells is essential for interleukin-12-induced complete tumor eradication (Lee et al). 2002;132:365-8

Intermittent claudication
Diagnosis and management of chronic compartment syndrome (Turnipseed). 2002;132:613-9

Internship and residency
Forces for change in surgical training: unintended consequences (Warshaw). 2002;132:100-1 (Editorial)
Maintaining outcomes in a surgical residency while complying with resident working hour regulations (Hassett et al). 2002;132:635-41
Maternity policy and practice during surgery residency: how we do it (Carty et al). 2002;132:682-8
Presidential address: we have met the enemy (Baker). 2002;132:539-44
Resident debt and the American College of Surgeons (Thomas). 2002;132:783-4
Society of University Surgeons statement on surgical resident work hours and education (Cole et al). 2002;132:115-8
SUS extramural educational loan repayment for physicians/scientists (Kron). 2002;132:786
The SUS loan repayment program for surgeon/scientists: will it work (Rhodes). 2002;132:785

Intestinal mucosa
Ethanol impairs intestinal barrier defense by modulation of immunoglobulin A transport (Diebel et al). 2002;132:573-81
Neutrophils increase paracellular permeability of restituted ischemic-injured porcine ileum (Gayle et al). 2002;132:461-70

Intestine, large
Tissue-engineered colon exhibits function in vivo (Grikscheit et al). 2002;132:200-4

Intestine, small
The effects of preconditioning on the oxidative stress in small-bowel autotransplantation (Ferencz et al). 2002;132:877-84
A serum factor after intestinal resection stimulates epidermal growth factor receptor signaling and proliferation in intestinal epithelial cells (Juno et al). 2002;132:377-83

Intraoperative complications
Disclosure of intraoperative events (Jones and McCullough). 2002;132:531-2
Vascular complications associated with pancreaticoduodenectomy adversely affect clinical outcome (Kim et al) 2002;132:738-47

Intraoperative period
Intraoperative ultrasonography improves identification of recurrent thyroid cancer (Karwowski et al). 2002;132:924-9
Pitfalls in the surgical treatment of insulinoma (Richards et al). 2002;132:1040-9
Rapid insulin assay for intraoperative confirmation of complete resection of insulinomas (Carneiro et al). 2002;132:937-43
Utility of rapid intraoperative parathyroid hormone assay to predict severe postoperative hypocalcemia after reoperation for hyperparathyroidism (Elaraj et al). 2002;132:1028-34

Intubation, gastrointestinal
Assessment of routine elimination of postoperative nasogastric decompression after Roux-en-Y gastric bypass (Huerta et al). 2002;132:844-8

Ischemia
Neutrophils increase paracellular permeability of restituted ischemic-injured porcine ileum (Gayle et al). 2002;132:461-70

Ischemic preconditioning
The effects of preconditioning on the oxidative stress in small-bowel autotransplantation (Ferencz et al). 2002;132:877-84

Islets of Langerhans transplantation
Microdialysis measurements demonstrate a shift to nonoxidative glucose metabolism in rat pancreatic islets transplanted beneath the renal capsule (Carlsson et al). 2002;132:487-94

J

Jejunostomy
Biliary complications in adult living donor liver transplantation with duct-to-duct hepaticocholedochostomy or Roux-en-Y hepaticojejunostomy biliary reconstruction (Kawachi et al). 2002;132:48-56

K

Kidney transplantation
Incidental diagnosis of gastric cancer in transplant recipients improves patient survival (Buell et al). 2002;132:754-60
A novel leflunomide derivative, FK778, for immunosuppression after kidney transplantation in dogs (Jin et al). 2002;132:72-9
Technical and immunologic progress in simultaneous pancreas-kidney transplantation (Kaufman et al). 2002;132:545-54

Killer cells, natural
Natural killer cells contribute to the lethality of a murine model of *Escherichia coli* infection (Badgwell et al). 2002;132:205-12

L

Laparoscopy
The case for fellowships in gastrointestinal and laparoendoscopic surgery (Hunter). 2002;132:523-5
Evolution of minimally invasive bariatric surgery (Gould et al). 2002;132:565-72
Hand-assisted laparoscopic splenectomy in patients with splenomegaly or prior upper abdominal operation (Ailawadi et al). 2002;132:689-96
Quality of life after laparoscopic bilateral adrenalectomy for Cushing's disease (Hawn et al). 2002;132:1064-9

Laryngectomy
Pharyngolaryngoesophagectomy for well-differentiated papillary thyroid carcinoma widely invading the upper aerodigestive tract (Omura et al). 2002;132:885-8

Learning
Learning and memory is preserved after induced asanguineous hyperkalemic hypothermic arrest in a swine model of traumatic exsanguination (Alam et al). 2002;132:278-88

Leg
Lymphedema praecox of the lower extremity (Bauer et al). 2002;132:899-900

Leiomyosarcoma
Leiomyosarcoma arising from the superior mesenteric vein (Goldin et al). 2002;132:108-9

Length of stay
The effect of decreasing length of stay on discharge destination and readmission after coronary bypass operation (Bohmer et al). 2002;132:10-5
Invited commentary: financial implications of early hospital discharge and readmission (Lahey). 2002;132:16

Letters to the Editors
Hemorrhagic acalculous cholecystitis associated with hemodialysis (Iki et al). 2002;132:903
Hockey groin syndrome (Smedberg and Roos). 2002;132:906
Left liver plus caudate lobe graft with complete revascularization (Sugawara et al). 2002;132:904-5
Profound hypoglycemia after intravasation of cystogram: a previously unreported complication of cystogram (Nguyen et al). 2002;132:537 (Letter)
Reply: hockey groin syndrome (Brown and Feldman). 2002;132:906-7
Reply: left liver plus caudate lobe graft with complete revascularization (Ikegami et al). 2002;132:905-6
Supernumerary intravagal parathyroid hyperplagia (Pawlik and Thompson). 2002;132:903-4

Lipopolysaccharides
Impaired activation of mitogen-activated protein kinases after hemorrhagic shock (Khadaroo et al). 2002;132:360-4

Liver
17-Beta-estradiol protects the liver against warm ischemia/reperfusion injury and is associated with increased serum nitric oxide and decreased tumor necrosis factor-alpha (Eckhoff et al). 2002;132:302-9
Examination of the role of abdominal computed tomography in the evaluation of victims of trauma with increased aspartate aminotransferase in the era of focused abdominal sonography for trauma (Stassen et al). 2002;132:642-7
Virtual reality: immersive hepatic surgery educational environment (Silverstein et al). 2002;132:274-7

Liver neoplasms
Concurrent resections of pancreatic islet cell cancers with synchronous hepatic metastases: outcomes of an aggressive approach (Sarmiento et al). 2002;132:976-83
Necrotic infected liver metastasis from colon cancer (Sarmiento and Sarr). 2002;132:110-1
Radiofrequency ablation of liver tumors: influence of technique and tumor size (Kuvshinoff and Ota). 2002;132:605-12
Surgical outcomes of isolated caudate lobe resection: a single series of 19 patients (Sarmiento et al). 2002;132:697-709

Liver regeneration
Recovery of liver function in two-third partial hepatectomized rats evaluated by L-[I-^{13}C]phenylalanine breath test (Ishii et al). 2002;132:849-56
Transforming growth factor-1 induces hepatocyte apoptosis by a c-Jun independent mechanism (Samson et al). 2002;132:441-9

Liver transplantation
Biliary complications in adult living donor liver transplantation with duct-to-duct hepaticocholedochostomy or Roux-en-Y hepaticojejunostomy biliary reconstruction (Kawachi et al). 2002;132:48-56
Bone marrow-derived liver stem cell and mature hepatocyte engraftment in livers undergoing rejection (Avital et al). 2002;132:384-90
Incidental diagnosis of gastric cancer in transplant recipients improves patient survival (Buell et al). 2002;132:754-60
Left liver plus caudate lobe graft with complete revascularization (Sugawara et al). 2002;132:904-5 (Letter)
Living donor liver transplantation in adults: recent advances and results (Sugawara et al). 2002;132:348-52
The long-term survival and causes of death in patients who survive at least 1 year after liver transplantation (Vogt et al). 2002;132:775-80
Reply: left liver plus caudate lobe graft with complete revascularization (Ikegami et al). 2002;132:905-6 (Letter reply)
Targeted gene therapy with CD40Ig to induce long-term acceptance of liver allografts (Chang et al). 2002;132:149-56

Living donors
Biliary complications in adult living donor liver transplantation with duct-to-duct hepaticocholedochostomy or Roux-en-Y hepaticojejunostomy biliary reconstruction (Kawachi et al). 2002;132:48-56
Left liver plus caudate lobe graft with complete revascularization (Sugawara et al). 2002;132:904-5 (Letter)
Living donor liver transplantation in adults: recent advances and results (Sugawara et al). 2002;132:348-52
Reply: left liver plus caudate lobe graft with complete revascularization (Ikegami et al). 2002;132:905-6 (Letter reply)

Lymph node excision
Extended lymphadenectomy and preoperative radiotherapy for lower rectal cancers (Watanabe et al). 2002;132:27-33
Indications for abdominal para-aortic lymph node dissection in patients with esophageal squamous cell carcinoma (Shimada et al). 2002;132:93-9
Real-time rapid reverse transcriptase-polymerase chain reaction for intraoperative diagnosis of lymph node micrometastasis: clinical application for cervical lymph node dissection in esophageal cancers. (Yoshioka et al). 2002;132:34-40
Surgical management of intraductal papillary mucinous tumor of the pancreas (Doi et al). 2002;132:80-5

Lymphedema
Lymphedema praecox of the lower extremity (Bauer et al). 2002;132:899-900

Lymphoma
The expression of proliferating cell nuclear antigen, p53, p21, and apoptosis in primary gastric lymphoma (Aoyagi et al). 2002;132:20-6

M

Macrophages
Preexposure of murine macrophages to CpG-containing oligonucleotides results in nuclear factor B p50 homodimer-associated hyporesponsiveness (Jin et al). 2002;132:245-51

Malpractice
Surgeons' tone of voice: a clue to malpractice history (Ambady et al). 2002;132:5-9

Mammaplasty
Juvenile fibroadenoma of the breast (Wechselberger et al). 2002;132:106-7

Mass screening
The cost-effectiveness of a "quick-screen" program for abdominal aortic aneurysms (Lee et al). 2002;132:399-407

Mast cells
Biological role and clinical implications of mast cells in surgery (Dowdall et al). 2002;132:1-4

Mastectomy
Does aggressive local therapy improve survival in metastatic breast cancer (Khan et al). 2002;132:620-7

Medical errors
Disclosure of intraoperative events (Jones and McCullough). 2002;132:531-2
New strategies to prevent laparoscopic bile duct injury- surgeons can learn from pilots (Hugh). 2002;132:826-35

Melanoma
Acidosis plus melphalan induces nitric oxide-mediated tumor regression in an isolated limb perfusion human melanoma xenograft model (Kelley et al). 2002;132:252-8
A long-term analysis of 1018 patients with melanoma by classic Cox regression and tree-structured survival analysis at a major referral center: Implications on the future of cancer staging (Averbook et al). 2002;132:589-604

Melphalan
Acidosis plus melphalan induces nitric oxide-mediated tumor regression in an isolated limb perfusion human melanoma xenograft model (Kelley et al). 2002;132:252-8

Memory
Learning and memory is preserved after induced asanguineous hyperkalemic hypothermic arrest in a swine model of traumatic exsanguination (Alam et al). 2002;132:278-88

Mesenteric vein
Leiomyosarcoma arising from the superior mesenteric vein (Goldin et al). 2002;132:108-9

Metabolism
Microdialysis measurements demonstrate a shift to nonoxidative glucose metabolism in rat pancreatic islets transplanted beneath the renal capsule (Carlsson et al). 2002;132:487-94

Metalloproteinase-9; see Gelatinase B

Microarray, DNA; *see* Gene expression profiling

Microcirculation
Tyrosine phosphorylation of vascular endothelial cadherin and the regulation of microvascular permeability (Nwariaku et al). 2002;132:180-5

Microdialysis
Microdialysis measurements demonstrate a shift to nonoxidative glucose metabolism in rat pancreatic islets transplanted beneath the renal capsule (Carlsson et al). 2002;132:487-94

Mitogen-activated protein kinase kinases
Identification of mitogen-activated protein kinase kinase as a chemoresistant pathway in MCF-7 cells by using gene expression microarray (Weldon et al). 2002;132:293-301

Mitogen-activated protein kinases
Impaired activation of mitogen-activated protein kinases after hemorrhagic shock (Khadaroo et al). 2002;132:360-4
Preexposure of murine macrophages to CpG-containing oligonucleotides results in nuclear factor B p50 homodimer-associated hyporesponsiveness (Jin et al). 2002;132:245-51
Transforming growth factor-1 induces apoptosis in vascular endothelial cells by activation of mitogen-activated protein kinase (Hyman et al). 2002;132:173-9

Moments in surgery
Nina (Kosiosk). 2002;132:901-2
O. H. W. and the gift of total recall (MacLean). 2002;132:102-3

Mortality
The long-term survival and causes of death in patients who survive at least 1 year after liver transplantation (Vogt et al). 2002;132:775-80
Pelvic fracture in the elderly is associated with increased mortality (O'Brien et al). 2002;132:710-5

Multiple endocrine neoplasia type 1
Long-term results of less than total parathyroidectomy for hyperparathyroidism in multiple endocrine neoplasia type 1 (Arnalsteen et al). 2002;132:2019-25
Multiple endocrine neoplasia type 1 polymorphism D418D is associated with sporadic primary hyperparathyroidism (Correa et al). 2002;132:450-5

Multiple endocrine neoplasia type 2a
Inhibition of medullary thyroid carcinoma cell proliferation and RET phosphorylation by tyrosine kinase inhibitors (Cohen et al). 2002;132:960-7

RET proto-oncogene mutations affecting codon 790/791: a mild form of multiple endocrine neoplasia type 2A syndrome (Gimm et al). 2002;132:952-9

Muscle, smooth, vascular
The signaling protein Rho is necessary for vascular smooth muscle migration and survival but not for proliferation (Liu et al). 2002;132:317-25

Muscles
The effect of prolonged euglycemic hyperinsulinemia on lean body mass after severe burn (Thomas et al). 2002;132:341-7

N

Nasogastric tubes; see Intubation, gastrointestinal

National Institutes of Health (U.S.)
Do the National Institutes of Health consensus guidelines for parathyroidectomy predict symptom severity and surgical outcome in patients with primary hyperparathyroidism (Sywak et al). 2002;132:1013-20

Necrosis
Necrotic infected liver metastasis from colon cancer (Sarmiento and Sarr). 2002;132:110-1

Neoplasm metastasis
Concurrent resections of pancreatic islet cell cancers with synchronous hepatic metastases: outcomes of an aggressive approach (Sarmiento et al). 2002;132:976-83
Does aggressive local therapy improve survival in metastatic breast cancer (Khan et al). 2002;132:620-7
Gastrointestinal metastasis to the breast (Madan et al). 2002;132:889-93
Heparanase-1 expression is associated with the metastatic potential of breast cancer (Maxhimer et al). 2002;132:326-33
Necrotic infected liver metastasis from colon cancer (Sarmiento and Sarr). 2002;132:110-1
Real-time rapid reverse transcriptase-polymerase chain reaction for intraoperative diagnosis of lymph node micrometastasis: clinical application for cervical lymph node dissection in esophageal cancers. (Yoshioka et al). 2002;132:34-40

Neoplasm recurrence, local
Prognostic significance of serum p53 antibody in patients with esophageal squamous cell carcinoma (Shimada et al). 2002;132:41-7

Neoplasm staging
A long-term analysis of 1018 patients with melanoma by classic Cox regression and tree-structured survival analysis at a major referral center: Implications on the future of cancer staging (Averbook et al). 2002;132:589-604

Neoplasms, cystic, mucinous and serous
Prospective preoperative determination of mucinous pancreatic cystic neoplasms (Walsh et al). 2002;132:628-34

Neovascularization, pathologic
VEGF-mediated angiogenesis of human pheochromocytomas is associated to malignancy and inhibited by anti-VEGF antibodies in experimental tumors (Zielke et al). 2002;132:1056-63

Neovascularization, physiologic
Angiogenic effect of fibroblast growth factor-1 and vascular endothelial growth factor and their synergism in a novel in vitro quantitative fibrin-based 3-dimensional angiogenesis system (Xue and Greisler). 2002;132:259-67

Nerve compression syndromes
Diagnosis and management of chronic compartment syndrome (Turnipseed). 2002;132:613-9

Neuroblastoma
Importance of Sp1 consensus motifs in the MYCN promoter (Inge et al). 2002;132:232-8

Neurologic manifestations
Learning and memory is preserved after induced asanguineous hyperkalemic hypothermic arrest in a swine model of traumatic exsanguination (Alam et al). 2002;132:278-88

Neutrophil infiltration
Neutrophils increase paracellular permeability of restituted ischemic-injured porcine ileum (Gayle et al). 2002;132:461-70

Neutrophils
25% albumin modulates adhesive interactions between neutrophils and the endothelium following shock/resuscitation (Powers et al). 2002;132:391-8

NF-Kappa B
Intraischemic hypothermia differentially modulates oxidative stress proteins during mesenteric ischemia/reperfusion (Hassoun et al). 2002;132:369-76
Preexposure of murine macrophages to CpG-containing oligonucleotides results in nuclear factor B p50 homodimer-associated hyporesponsiveness (Jin et al). 2002;132:245-51
Selective targeting of the nuclear factor-B pathway enhances tumor necrosis factor-related apoptosis-inducing ligand-mediated pancreatic cancer cell death (Thomas et al). 2002;132:127-34

Nipples
Directed duct excision by using mammary ductoscopy in patients with pathologic nipple discharge (Dietz et al). 2002;132:582-8

Nitric oxide
17-Beta-estradiol protects the liver against warm ischemia/reperfusion injury and is associated with increased serum nitric oxide and decreased tumor necrosis factor-alpha (Eckhoff et al). 2002;132:302-9
Acidosis plus melphalan induces nitric oxide-mediated tumor regression in an isolated limb perfusion human melanoma xenograft model (Kelley et al). 2002;132:252-8

Nitric oxide synthase
Characterization of incisional wound healing in inducible nitric oxide synthase knockout mice (Most et al). 2002;132:866-76
Intraischemic hypothermia differentially modulates oxidative stress proteins during mesenteric ischemia/reperfusion (Hassoun et al). 2002;132:369-76

Nuclear factor kappa B; *see* NF-Kappa B

O

Obesity, morbid
Long-term data indicate a progressive loss in efficacy of adjustable silicone gastric banding for the surgical treatment of morbid obesity (Doherty et al). 2002;132:724-8

Osteitis fibrosa cystica
Recovery pattern of patients with osteitis fibrosa cystica in primary hyperparathyroidism after successful parathyroidectomy (Agarwal et al). 2002;132:1075-85

Oxidative stress
The effects of preconditioning on the oxidative stress in small-bowel autotransplantation (Ferencz et al). 2002;132:877-84
Intraischemic hypothermia differentially modulates oxidative stress proteins during mesenteric ischemia/reperfusion (Hassoun et al). 2002;132:369-76

P

P-glycoprotein
Using technetium 99m tetrofosmin parathyroid imaging to detect parathyroid adenoma and its relation to P-glycoprotein expression (Wu et al). 2002;132:456-60

P38 mitogen protein kinase; see Mitogen-activated protein kinases

Pain
Hockey groin syndrome (Smedberg and Roos). 2002;132:906 (Letter)
Reply: hockey groin syndrome (Brown and Feldman). 2002;132:906-7 (Letter reply)

Pancreatectomy
Medial pancreatectomy: a multi-institutional retrospective study of 53 patients by the French Pancreas Club (Savanet et al). 2002;132:836-43

Pancreatic diseases
Rapid insulin assay for intraoperative confirmation of complete resection of insulinomas (Carneiro et al). 2002;132:937-43

Pancreatic elastase
Recombinant human neutral endopeptidase ameliorates pancreatic elastase-induced lung injury (Lightner et al). 2002;132:193-9

Pancreatic fistula
Medial pancreatectomy: a multi-institutional retrospective study of 53 patients by the French Pancreas Club (Savanet et al). 2002;132:836-43

Pancreatic neoplasms
Activation of the ras/raf-1 signal transduction pathway in carcinoid tumor cells results in morphologic transdifferentiation (Sippel and Chen). 2002;132:1035-9
Adenovirus-mediated delivery of a soluble form of the VEGF receptor Flk1 delays the growth of murine and human pancreatic adenocarcinoma in mice (Tseng et al). 2002;132:857-65
Concurrent resections of pancreatic islet cell cancers with synchronous hepatic metastases: outcomes of an aggressive approach (Sarmiento et al). 2002;132:976-83
Medial pancreatectomy: a multi-institutional retrospective study of 53 patients by the French Pancreas Club (Savanet et al). 2002;132:836-43
Prospective preoperative determination of mucinous pancreatic cystic neoplasms (Walsh et al). 2002;132:628-34
Restoration of E-cadherin/-catenin expression in pancreatic cancer cells inhibits growth by induction of apoptosis (Lowy et al). 2002;132:141-8
Selective targeting of the nuclear factor-B pathway enhances tumor necrosis factor-related apoptosis-inducing ligand-mediated pancreatic cancer cell death (Thomas et al). 2002;132:127-34
Surgical management of intraductal papillary mucinous tumor of the pancreas (Doi et al). 2002;132:80-5

Pancreatic transplantation
Technical and immunologic progress in simultaneous pancreas-kidney transplantation (Kaufman et al). 2002;132:545-54

Pancreaticoduodenectomy
Adjusting surgical mortality rates for patient comorbidities: more harm than good (Finlayson et al). 2002;132:787-94
Vascular complications associated with pancreaticoduodenectomy adversely affect clinical outcome (Kim et al) 2002;132:738-47

Pancreatitis
Genetic disorders in pancreatitis: Implications in the pathogenesis of acute and chronic pancreatitis (Mössner and Teich). 2002;132:421-3
Peritoneal inflammatory cells in acute pancreatitis: relationship of infiltration dynamics and cytokine production with severity of illness (Mikami et al). 2002;132:86-92
Recombinant human neutral endopeptidase ameliorates pancreatic elastase-induced lung injury (Lightner et al). 2002;132:193-9

Parathyroid gland
Supernumerary intravagal parathyroid hyperplagia (Pawlik and Thompson). 2002;132:903-4 (Letter)

Parathyroid hormones
Accuracy of selective venous sampling for intact parathyroid hormone in difficult patients with recurrent or persistent hyperparathyroidism (Jones et al). 2002;132:944-51
Elevated serum parathyroidectomy for primary sporadic hyperparathyroidism (Carty et al). 2002;132:1086-93
Utility of rapid intraoperative parathyroid hormone assay to predict severe postoperative hypocalcemia after reoperation for hyperparathyroidism (Elaraj et al). 2002;132:1028-34

Parathyroid neoplasms
End-stage skeletal manifestations of severe hyperparathyroidism (Raeburn et al). 2002;132:896-8
Radioisotope-navigated video-assisted thoracoscopic operation for ectopic mediastinal parathyroid (Onoda et al). 2002;132:17-9
Using technetium 99m tetrofosmin parathyroid imaging to detect parathyroid adenoma and its relation to P-glycoprotein expression (Wu et al). 2002;132:456-60

Parathyroidectomy
Cardiac dysfunction in mild primary hyperparathyroidism assessed by radionuclide angiography and echocardiography before and after parathyroidectomy (Almqvist et al). 2002;132:2026-32
Computer-assisted evoked electromyography with stimulating surgical instruments for recurrent/external laryngeal nerve identification and preservation in thyroid and parathyroid operation (Dackiw et al). 2002;132:2000-8
Do the National Institutes of Health consensus guidelines for parathyroidectomy predict symptom severity and surgical outcome in patients with primary hyperparathyroidism (Sywak et al). 2002;132:1013-20
Elevated serum parathyroidectomy for primary sporadic hyperparathyroidism (Carty et al). 2002;132:1086-93
Improving the yield of preoperative parathyroid localization: technetium Tc 99 m-sestamibi imaging after thyroid suppression (Royal et al). 2002;132:968-75
Limited versus radical parathyroidectomy in familial isolated primary hyperparathyroidism (Carneiro et al). 2002;132:1050-5
Long-term results of less than total parathyroidectomy for hyperparathyroidism in multiple endocrine neoplasia type 1 (Arnalsteen et al). 2002;132:2019-25
Parathyroidectomy improves concentration and retentiveness in patients with primary hyperparathyroidism (Prager et al). 2002;132:930-6
Recovery pattern of patients with osteitis fibrosa cystica in primary hyperparathyroidism after successful parathyroidectomy (Agarwal et al). 2002;132:1075-85

Patient discharge
The effect of decreasing length of stay on discharge destination and readmission after coronary bypass operation (Bohmer et al). 2002;132:10-5
Invited commentary: financial implications of early hospital discharge and readmission (Lahey). 2002;132:16

Patient readmission
The effect of decreasing length of stay on discharge destination and readmission after coronary bypass operation (Bohmer et al). 2002;132:10-5
Invited commentary: financial implications of early hospital discharge and readmission (Lahey). 2002;132:16

Personnel staffing and scheduling
Maintaining outcomes in a surgical residency while complying with resident working hour regulations (Hassett et al). 2002;132:635-41

Pharyngectomy
Pharyngolaryngoesophagectomy for well-differentiated papillary thyroid carcinoma widely invading the upper aerodigestive tract (Omura et al). 2002;132:885-8

Phenylalanine hydroxylase
Recovery of liver function in two-third partial hepatectomized rats evaluated by L-[L-^{13}C]phenylalanine breath test (Ishii et al). 2002;132:849-56

Pheochromocytoma
VEGF-mediated angiogenesis of human pheochromocytomas is associated to malignancy and inhibited by anti-VEGF antibodies in experimental tumors (Zielke et al). 2002;132:1056-63

Phosphatidylinositol 3-kinase
A serum factor after intestinal resection stimulates epidermal growth factor receptor signaling and proliferation in intestinal epithelial cells (Juno et al). 2002;132:377-83

Physician-patient relations
Disclosure of intraoperative events (Jones and McCullough). 2002;132:531-2
Surgeons' tone of voice: a clue to malpractice history (Ambady et al). 2002;132:5-9

Physicians, family
Financial returns on specialty training for surgeons (Weeks and Wallace). 2002;132:795-802
Invited commentary: how do we recruit bright and selflessly capable students into the gratifying profession of surgery (Harken). 2002;132:803-4

Physicians, women
Issues in the recruitment and success of women in academic surgery (Sonnad and Colletti). 2002;132:415-9

Platelet activating factor
Platelet-activating factor priming of inflammatory cell activity requires cellular adherence (Cuschieri et al). 2002;132:157-66
Single nucleotide polymorphism (G994T) in the plasma platelet-activating factor-acetylhydrolase gene is associated with graft patency of femoropopliteal bypass (Unno et al). 2002;132:66-71

Polymerase chain reaction
Real-time rapid reverse transcriptase-polymerase chain reaction for intraoperative diagnosis of lymph node micrometastasis: clinical application for cervical lymph node dissection in esophageal cancers. (Yoshioka et al). 2002;132:34-40

Polymorphism (Genetic)
Interferon-γ gene polymorphisms and the development of sepsis in patients with trauma (Stassen et al). 2002;132:289-92
Multiple endocrine neoplasia type 1 polymorphism D418D is associated with sporadic primary hyperparathyroidism (Correa et al). 2002;132:450-5

Polymorphism, single-stranded conformational
Single nucleotide polymorphism (G994T) in the plasma platelet-activating factor-acetylhydrolase gene is associated with graft patency of femoropopliteal bypass (Unno et al). 2002;132:66-71

Polytetrafluorethylene
Prospective, randomized evaluation of a cuffed expanded polytetrafluoroethylene graft for hemodialysis vascular access (Sorom et al). 2002;132:135-40

Portal vein
Effect of portal vein embolization on function of the nonembolized lobes of the liver: evaluation by first-pass hepatic lidocaine extraction in dogs (Tominaga et al). 2002;132:424-30
Portal vein thrombi after restorative proctocolectomy (Remzi et al). 2002;132:655-62
The use of quantitative Doppler ultrasonography to predict posthepatectomy complications on the basis of hepatic hemodynamic parameters (Sugimoto et al). 2002;132:431-40

Postoperative complications
The effect of intraoperative duplex on the management of postoperative stroke (Sheehan et al). 2002;132:761-6
Hospital costs and risk factors associated with complications of the ileal pouch anal anastomosis (Swenson et al). 2002;132:767-74
The use of quantitative Doppler ultrasonography to predict posthepatectomy complications on the basis of hepatic hemodynamic parameters (Sugimoto et al). 2002;132:431-40

Practice guidelines
Do the National Institutes of Health consensus guidelines for parathyroidectomy predict symptom severity and surgical outcome in patients with primary hyperparathyroidism (Sywak et al). 2002;132:1013-20

Pregnancy
Maternity policy and practice during surgery residency: how we do it (Carty et al). 2002;132:682-8

Preoperative care
Invited commentary: new roles for immune-enhancing diets (Ochoa and Ford). 2002;132:815-6
Preoperative oral arginine and n-3 fatty acid supplementation improves the immunometabolic host response and outcome after colorectal resection for cancer (Braga et al). 2002;132:805-14

Primary health care
Financial returns on specialty training for surgeons (Weeks and Wallace). 2002;132:795-802
Invited commentary: how do we recruit bright and selflessly capable students into the gratifying profession of surgery (Harken). 2002;132:803-4

Proctocolectomy, restorative
Hospital costs and risk factors associated with complications of the ileal pouch anal anastomosis (Swenson et al). 2002;132:767-74
Portal vein thrombi after restorative proctocolectomy (Remzi et al). 2002;132:655-62

Proliferating cell nuclear antigen
The expression of proliferating cell nuclear antigen, p53, p21, and apoptosis in primary gastric lymphoma (Aoyagi et al). 2002;132:20-6

Prostate-specific antigen
Epidemiology of radical prostatectomy for localized prostate cancer in the era of prostate-specific antigen:an overview of the Department of Defense Center for Prostate Disease Research national database (Moul et al). 2002;132:213-9

Prostatectomy
Epidemiology of radical prostatectomy for localized prostate cancer in the era of prostate-specific antigen:an overview of the Department of Defense Center for Prostate Disease Research national database (Moul et al). 2002;132:213-9

Prostatic neoplasms
Epidemiology of radical prostatectomy for localized prostate cancer in the era of prostate-specific antigen:an overview of the Department of Defense Center for Prostate Disease Research national database (Moul et al). 2002;132:213-9

Protein kinases
Expression of kinase genes in primary hyperparathyroidism: adenoma versus hyperplastic parathyroid tissue (Schachter et al). 2002;132:1094-9

Protein p53
Prognostic significance of serum p53 antibody in patients with esophageal squamous cell carcinoma (Shimada et al). 2002;132:41-7

Proto-oncogene protein p21 (ras)
The expression of proliferating cell nuclear antigen, p53, p21, and apoptosis in primary gastric lymphoma (Aoyagi et al). 2002;132:20-6

Proto-oncogene proteins
Inhibition of medullary thyroid carcinoma cell proliferation and RET phosphorylation by tyrosine kinase inhibitors (Cohen et al). 2002;132:960-7
A new therapeutic approach in medullary thyroid cancer treatment: inhibition of oncogenic RET signaling by adenoviral vector-mediated expression of a dominant-negative RET mutant (Drosten et al). 2002;132:991-7
RET proto-oncogene mutations affecting codon 790/791: a mild form of multiple endocrine neoplasia type 2A syndrome (Gimm et al). 2002;132:952-9

Proto-oncogene proteins c-raf
Activation of the ras/raf-1 signal transduction pathway in carcinoid tumor cells results in morphologic transdifferentiation (Sippel and Chen). 2002;132:1035-9

Publications
Responsibility of authorship (Sarr and Warshaw). 2002;132:521 (Editorial)

Pulsatile flow
The use of quantitative Doppler ultrasonography to predict posthepatectomy complications on the basis of hepatic hemodynamic parameters (Sugimoto et al). 2002;132:431-40

Pylorus
Bouveret's syndrome (Bhama et al). 2002;132:104-5

Q

Quality of life
Maintaining outcomes in a surgical residency while complying with resident working hour regulations (Hassett et al). 2002;132:635-41
Quality of life after laparoscopic bilateral adrenalectomy for Cushing's disease (Hawn et al). 2002;132:1064-9

R

Radionuclide angiography
Cardiac dysfunction in mild primary hyperparathyroidism assessed by radionuclide angiography and echocardiography

before and after parathyroidectomy (Almqvist et al). 2002;132:2026-32

Radionuclide imaging
Improving the yield of preoperative parathyroid localization: technetium Tc 99 m-sestamibi imaging after thyroid suppression (Royal et al). 2002;132:968-75
Radioisotope-navigated video-assisted thoracoscopic operation for ectopic mediastinal parathyroid (Onoda et al). 2002;132:17-9

Radiotherapy
Current treatment of nodular goiter with hyperthyroidism (Plummer's disease): surgery versus radioiodine (Kang et al). 2002;132:916-23
Increasing the effectiveness of radioactive iodine therapy in the treatment of thyroid cancer using Trichostatin A, a histone deacetylase inhibitor (Zarnegar et al). 2002;132:984-90
Ionizing radiation potentiates the antitumor efficacy of oncolytic herpes simplex virus G207 by upregulating ribonucleotide reductase (Stanziale et al). 2002;132:353-9

Radiotherapy, adjuvant
Extended lymphadenectomy and preoperative radiotherapy for lower rectal cancers (Watanabe et al). 2002;132:27-33
Improved survival in resected biliary malignancies (Nakeeb et al). 2002;132:555-64
Neoadjuvant treatment of esophageal cancer: immunosuppression following combined radiochemotherapy (Heidecke et al). 2002;132:495-501

Randomized controlled trials
Invited commentary: surgeons and surgical trials-why we must assume a leadership role (Wells). 2002;132:519-20
Randomization in surgical trials (Hall and Hall). 2002; 132:513-8

Receptor protein-tyrosine kinase
Inhibition of medullary thyroid carcinoma cell proliferation and RET phosphorylation by tyrosine kinase inhibitors (Cohen et al). 2002;132:960-7

Recovery of function
Recovery after uncomplicated laparoscopic cholecystectomy (Bisgaard et al). 2002;132:817-25

Rectal neoplasms
Extended lymphadenectomy and preoperative radiotherapy for lower rectal cancers (Watanabe et al). 2002;132:27-33

Recurrent laryngeal nerve
Computer-assisted evoked electromyography with stimulating surgical instruments for recurrent/external laryngeal nerve identification and preservation in thyroid and parathyroid operation (Dackiw et al). 2002;132:2000-8

Regeneration; *see* Guided tissue regeneration; Liver regeneration

Regression analysis
A long-term analysis of 1018 patients with melanoma by classic Cox regression and tree-structured survival analysis at a major referral center: Implications on the future of cancer staging (Averbook et al). 2002;132:589-604

Reimbursement mechanisms
Financial returns on specialty training for surgeons (Weeks and Wallace). 2002;132:795-802

Reperfusion injury
17-Beta-estradiol protects the liver against warm ischemia/reperfusion injury and is associated with increased serum nitric oxide and decreased tumor necrosis factor-alpha (Eckhoff et al). 2002;132:302-9

Research design
Invited commentary: surgeons and surgical trials-why we must assume a leadership role (Wells). 2002;132:519-20
Randomization in surgical trials (Hall and Hall). 2002;132:513-8

Research personnel
SUS extramural educational loan repayment for physicians/scientists (Kron). 2002;132:786

Respiratory insufficiency
Recombinant human neutral endopeptidase ameliorates pancreatic elastase-induced lung injury (Lightner et al). 2002;132:193-9

Resuscitation
25% albumin modulates adhesive interactions between neutrophils and the endothelium following shock/resuscitation (Powers et al). 2002;132:391-8

Retraction of publication
Responsibility of authorship (Sarr and Warshaw). 2002;132:521 (Editorial)

Retractions
Wound-induced angiogenesis and its pharmacologic inhibition in a murine model (Gelaw and Levin) (2001;130:497-501). 2002;132:525

Rho GTP-binding proteins
The signaling protein Rho is necessary for vascular smooth muscle migration and survival but not for proliferation (Liu et al). 2002;132:317-25

Rupture, spontaneous
Spontaneous rupture of primary musculoskeletal hydatid cyst (Natarajan et al). 2002;132:533-4

S

Salaries and fringe benefits
Financial returns on specialty training for surgeons (Weeks and Wallace). 2002;132:795-802
Invited commentary: how do we recruit bright and selflessly capable students into the gratifying profession of surgery (Harken). 2002;132:803-4
Resident debt and the American College of Surgeons (Thomas). 2002;132:783-4

Scientific misconduct
Responsibility of authorship (Sarr and Warshaw). 2002;132:521 (Editorial)

Selective estrogen receptor modulators
Selective estrogen receptor modulators inhibit the effects of insulin-like growth factors in hyperparathyroidism (Wong et al). 2002;132:998-1007

Sepsis
Complement regulatory protein CD59 involves c-SRC related tyrosine phosphorylation of the creatine transporter in skeletal muscle during sepsis (Wang et al). 2002;132:334-40

Shock, hemorrhagic
25% albumin modulates adhesive interactions between neutrophils and the endothelium following shock/resuscitation (Powers et al). 2002;132:391-8
Impaired activation of mitogen-activated protein kinases after hemorrhagic shock (Khadaroo et al). 2002;132:360-4

Shock, septic
Natural killer cells contribute to the lethality of a murine model of *Escherichia coli* infection (Badgwell et al). 2002;132:205-12

Sleep
Recovery after uncomplicated laparoscopic cholecystectomy (Bisgaard et al). 2002;132:817-25

Societies, medical
Presidential address: the Society of University Surgeons in the 21st century-the mission, the vision, and the commitment to excellence (Evers et al). 2002;132:119-26

Society of University Surgeons
Presidential address: the Society of University Surgeons in the 21st century-the mission, the vision, and the commitment to excellence (Evers et al). 2002;132:119-26
Society of University Surgeons statement on surgical resident work hours and education (Cole et al). 2002;132:115-8

Somatomedins
Selective estrogen receptor modulators inhibit the effects of insulin-like growth factors in hyperparathyroidism (Wong et al). 2002;132:998-1007

Specialties, surgical
The case for fellowships in gastrointestinal and laparoendoscopic surgery (Hunter). 2002;132:523-5
Financial returns on specialty training for surgeons (Weeks and Wallace). 2002;132:795-802

General surgery and fellowship training: mutually beneficial or competing entities (Grosfeld). 2002;132:526-8
Introduction: subspecialty fellowships in general surgery (Warshaw and Sarr). 2002;132:522
Invited commentary: how do we recruit bright and selflessly capable students into the gratifying profession of surgery (Harken). 2002;132:803-4
Surgical fellowships and specialization (Lewis). 2002;132:529-30

Splenectomy
Hand-assisted laparoscopic splenectomy in patients with splenomegaly or prior upper abdominal operation (Ailawadi et al). 2002;132:689-96

Splenic artery
The use of quantitative Doppler ultrasonography to predict posthepatectomy complications on the basis of hepatic hemodynamic parameters (Sugimoto et al). 2002;132:431-40

Splenic diseases
Torsion of a wandering spleen (Sayeed et al). 2002;132:535-6

Splenomegaly
Hand-assisted laparoscopic splenectomy in patients with splenomegaly or prior upper abdominal operation (Ailawadi et al). 2002;132:689-96
Torsion of a wandering spleen (Sayeed et al). 2002;132:535-6

Stem cells
Bone marrow-derived liver stem cell and mature hepatocyte engraftment in livers undergoing rejection (Avital et al). 2002;132:384-90

Stomach neoplasms
Incidental diagnosis of gastric cancer in transplant recipients improves patient survival (Buell et al). 2002;132:754-60

Surgeons
Issues in the recruitment and success of women in academic surgery (Sonnad and Colletti). 2002;132:415-9
Nina (Kosiosk). 2002;132:901-2
O. H. W. and the gift of total recall (MacLean). 2002;132:102-3
Patient outcomes for segmental colon resection according to surgeon's training, certification, and experience (Prystowsky et al). 2002;132:663-72
Surgeons' tone of voice: a clue to malpractice history (Ambady et al). 2002;132:5-9

Surgery
Forces for change in surgical training: unintended consequences (Warshaw). 2002;132:100-1 (Editorial)
General surgery and fellowship training: mutually beneficial or competing entities (Grosfeld). 2002;132:526-8
Introduction: subspecialty fellowships in general surgery (Warshaw and Sarr). 2002;132:522
Invited commentary: surgeons and surgical trials-why we must assume a leadership role (Wells). 2002;132:519-20
Plasma from patients undergoing major open surgery stimulates in vitro tumor growth: lower insulin-like growth factor binding protein 3 levels may, in part, account for this change (Kirman et al). 2002;132:186-92
Presidential address: boiling water to iodine-a story of unparalleled collaboration (Grant). 2002;132:909-15
Presidential address: we have met the enemy (Baker). 2002;132:539-44
Randomization in surgical trials (Hall and Hall). 2002;132:513-8
Surgical fellowships and specialization (Lewis). 2002;132:529-30
The SUS loan repayment program for surgeon/scientists: will it work (Rhodes). 2002;132:785
Virtual reality: immersive hepatic surgery educational environment (Silverstein et al). 2002;132:274-7

Surgical procedures, minimally invasive
Evolution of minimally invasive bariatric surgery (Gould et al). 2002;132:565-72
Minimally invasive video-assisted thyroidectomy for papillary carcinoma: a prospective study of its completeness (Miccoli et al). 2002;132:1070-4
Off-pump coronary artery bypass grafting for patients with three-vessel disease (Hirose et al). 2002;132:57-65
Radioisotope-navigated video-assisted thoracoscopic operation for ectopic mediastinal parathyroid (Onoda et al). 2002;132:17-9

Surgical stapling
Long-term data indicate a progressive loss in efficacy of adjustable silicone gastric banding for the surgical treatment of morbid obesity (Doherty et al). 2002;132:724-8

Survivors
Does aggressive local therapy improve survival in metastatic breast cancer (Khan et al). 2002;132:620-7
The long-term survival and causes of death in patients who survive at least 1 year after liver transplantation (Vogt et al). 2002;132:775-80

Swine
Small intestinal submucosa as a bioscaffold for biliary tract regeneration (Rosen et al). 2002;132:480-6

T

T-lymphocytes
Neoadjuvant treatment of esophageal cancer: immunosuppression following combined radiochemotherapy (Heidecke et al). 2002;132:495-501
Production of interferon-gamma by tumor-sensitized T cells is essential for interleukin-12-induced complete tumor eradication (Lee et al). 2002;132:365-8

Technetium
Using technetium 99m tetrofosmin parathyroid imaging to detect parathyroid adenoma and its relation to P-glycoprotein expression (Wu et al). 2002;132:456-60

Technetium Tc 99m sestamibi
Improving the yield of preoperative parathyroid localization: technetium Tc 99 m-sestamibi imaging after thyroid suppression (Royal et al). 2002;132:968-75

Telomerase
Apoptosis regulating genes, bcl-2 and bax, and human telomerase reverse transcriptase messenger RNA expression in adrenal tumors: possible diagnostic and prognostic importance (Kanuchi et al). 2002;132:1021-7

Terrorism; see Violence

Thoracoscopy
Radioisotope-navigated video-assisted thoracoscopic operation for ectopic mediastinal parathyroid (Onoda et al). 2002;132:17-9

Thrombosis
Vascular complications associated with pancreaticoduodenectomy adversely affect clinical outcome (Kim et al) 2002;132:738-47

Thrombospondin
Fibroblasts promote breast cancer cell invasion by upregulating tumor matrix metalloproteinase-9 production (Wang et al). 2002;132:220-5

Thyroid diseases
The results of ultrasound-guided fine-needle aspiration biopsy for evaluation of nodular thyroid disease (Mittendorf et al). 2002;132:648-54

Thyroid neoplasms
Increasing the effectiveness of radioactive iodine therapy in the treatment of thyroid cancer using Trichostatin A, a histone deacetylase inhibitor (Zarnegar et al). 2002;132:984-90
Inhibition of medullary thyroid carcinoma cell proliferation and RET phosphorylation by tyrosine kinase inhibitors (Cohen et al). 2002;132:960-7
Intraoperative ultrasonography improves identification of recurrent thyroid cancer (Karwowski et al). 2002;132:924-9
A new therapeutic approach in medullary thyroid cancer treatment: inhibition of oncogenic RET signaling by adenoviral vector-mediated expression of a dominant-negative RET mutant (Drosten et al). 2002;132:991-7
Pharyngolaryngoesophagectomy for well-differentiated papillary thyroid carcinoma widely invading the upper aerodigestive tract (Omura et al). 2002;132:885-8

Thyroidectomy
Computer-assisted evoked electromyography with stimulating surgical instruments for recurrent/external laryngeal nerve identification and preservation in thyroid and parathyroid operation (Dackiw et al). 2002;132:2000-8
Current treatment of nodular goiter with hyperthyroidism (Plummer's disease): surgery versus radioiodine (Kang et al). 2002;132:916-23
Is routine supplementation therapy (calcium and vitamin D) useful after total thyroidectomy (Bellantone et al). 2002;132:2009-13
Minimally invasive video-assisted thyroidectomy for papillary carcinoma: a prospective study of its completeness (Miccoli et al). 2002;132:1070-4
RET proto-oncogene mutations affecting codon 790/791: a mild form of multiple endocrine neoplasia type 2A syndrome (Gimm et al). 2002;132:952-9

Tomography, x-ray computed
Examination of the role of abdominal computed tomography in the evaluation of victims of trauma with increased aspartate aminotransferase in the era of focused abdominal sonography for trauma (Stassen et al). 2002;132:642-7

Training support. *see also* Fellowships and scholarships
Resident debt and the American College of Surgeons (Thomas). 2002;132:783-4
SUS extramural educational loan repayment for physicians/scientists (Kron). 2002;132:786
The SUS loan repayment program for surgeon/scientists: will it work (Rhodes). 2002;132:785

Transcription factors
Interleukin-10 activates the transcription factor C/EBP and the interleukin-6 gene promoter in human intestinal epithelial cells (Robb et al). 2002;132:226-31

Transcription factors, Sp1
Importance of Sp1 consensus motifs in the MYCN promoter (Inge et al). 2002;132:232-8

Transforming growth factor beta
Characterization of incisional wound healing in inducible nitric oxide synthase knockout mice (Most et al). 2002;132:866-76
Resistance to transforming growth factor-beta occurs in the presence of normal Smad activation (Berger et al). 2002;132:310-6
Transforming growth factor-1 induces apoptosis in vascular endothelial cells by activation of mitogen-activated protein kinase (Hyman et al). 2002;132:173-9
Transforming growth factor-1 induces hepatocyte apoptosis by a c-Jun independent mechanism (Samson et al). 2002;132:441-9

Transplantation
The effects of preconditioning on the oxidative stress in small-bowel autotransplantation (Ferencz et al). 2002;132:877-84
Incidental diagnosis of gastric cancer in transplant recipients improves patient survival (Buell et al). 2002;132:754-60
Tissue-engineered colon exhibits function in vivo (Grikscheit et al). 2002;132:200-4
Transfer of "infectious" cardiac allograft tolerance induced by donor-specific transfusion (Kataoka et al). 2002;132:167-72

Treatment outcome
Are high-volume surgeons and hospitals the most important predictors of inhospital outcome for colon cancer resection (Ko et al). 2002;132:268-73
Do the National Institutes of Health consensus guidelines for parathyroidectomy predict symptom severity and surgical outcome in patients with primary hyperparathyroidism (Sywak et al). 2002;132:1013-20
Does increasing age have a negative impact on six-month functional outcome after coronary artery bypass (Hedeshian et al). 2002;132:239-44
Patient outcomes for segmental colon resection according to surgeon's training, certification, and experience (Prystowsky et al). 2002;132:663-72

Triage
Remembering September 11: reflections from Bellevue Hospital and New York University Medical Center (Marcus et al). 2002;132:502-5
The World Trade Center terrorist attack: changing priorities for surgeons in disaster response (Briggs and Schnitzer). 2002;132:506-12

Tumor cells, cultured
Ionizing radiation potentiates the antitumor efficacy of oncolytic herpes simplex virus G207 by upregulating ribonucleotide reductase (Stanziale et al). 2002;132:353-9
Plasma from patients undergoing major open surgery stimulates in vitro tumor growth: lower insulin-like growth factor binding protein 3 levels may, in part, account for this change (Kirman et al). 2002;132:186-92

Tumor necrosis factor
17-Beta-estradiol protects the liver against warm ischemia/reperfusion injury and is associated with increased serum nitric oxide and decreased tumor necrosis factor-alpha (Eckhoff et al). 2002;132:302-9
Gram-negative bacteria killed by complement are associated with more severe biliary infections and produce more tumor necrosis factor-α in sera (Stewart et al). 2002;132:408-14
Selective targeting of the nuclear factor-B pathway enhances tumor necrosis factor-related apoptosis-inducing ligand-mediated pancreatic cancer cell death (Thomas et al). 2002;132:127-34
Tyrosine phosphorylation of vascular endothelial cadherin and the regulation of microvascular permeability (Nwariaku et al). 2002;132:180-5

Tyrosine
Complement regulatory protein CD59 involves c-SRC related tyrosine phosphorylation of the creatine transporter in skeletal muscle during sepsis (Wang et al). 2002;132:334-40
Tyrosine phosphorylation of vascular endothelial cadherin and the regulation of microvascular permeability (Nwariaku et al). 2002;132:180-5

U

Ultrasonography
The cost-effectiveness of a "quick-screen" program for abdominal aortic aneurysms (Lee et al). 2002;132:399-407
Examination of the role of abdominal computed tomography in the evaluation of victims of trauma with increased aspartate aminotransferase in the era of focused abdominal sonography for trauma (Stassen et al). 2002;132:642-7
Intraoperative ultrasonography improves identification of recurrent thyroid cancer (Karwowski et al). 2002;132:924-9
Pitfalls in the surgical treatment of insulinoma (Richards et al). 2002;132:1040-9
The results of ultrasound-guided fine-needle aspiration biopsy for evaluation of nodular thyroid disease (Mittendorf et al). 2002;132:648-54

Ultrasonography, Doppler
The use of quantitative Doppler ultrasonography to predict posthepatectomy complications on the basis of hepatic hemodynamic parameters (Sugimoto et al). 2002;132:431-40

User-computer interface
Virtual reality: immersive hepatic surgery educational environment (Silverstein et al). 2002;132:274-7

V

Venous thrombosis
Portal vein thrombi after restorative proctocolectomy (Remzi et al). 2002;132:655-62

Video-assisted surgery
Minimally invasive video-assisted thyroidectomy for papillary carcinoma: a prospective study of its completeness (Miccoli et al). 2002;132:1070-4

Violence
Remembering September 11: reflections from Bellevue Hospital and New York University Medical Center (Marcus et al). 2002;132:502-5

The World Trade Center terrorist attack: changing priorities for surgeons in disaster response (Briggs and Schnitzer). 2002;132:506-12

Viral fusion protein
Targeted gene therapy with CD40Ig to induce long-term acceptance of liver allografts (Chang et al). 2002;132:149-56

Virtual reality; see User-computer interface

Vitamin D
Is routine supplementation therapy (calcium and vitamin D) useful after total thyroidectomy (Bellantone et al). 2002;132:2009-13

Vocal cord paralysis
Computer-assisted evoked electromyography with stimulating surgical instruments for recurrent/external laryngeal nerve identification and preservation in thyroid and parathyroid operation (Dackiw et al). 2002;132:2000-8

Voice
Surgeons' tone of voice: a clue to malpractice history (Ambady et al). 2002;132:5-9

W

Wangensteen, Owen H.
O. H. W. and the gift of total recall (MacLean). 2002;132:102-3

Women
Issues in the recruitment and success of women in academic surgery (Sonnad and Colletti). 2002;132:415-9

Women physicians; *see* Physicians, women

Work schedule tolerance
Maintaining outcomes in a surgical residency while complying with resident working hour regulations (Hassett et al). 2002;132:635-41
Resident debt and the American College of Surgeons (Thomas). 2002;132:783-4
Society of University Surgeons statement on surgical resident work hours and education (Cole et al). 2002;132:115-8

Wound healing
Biological role and clinical implications of mast cells in surgery (Dowdall et al). 2002;132:1-4
Characterization of incisional wound healing in inducible nitric oxide synthase knockout mice (Most et al). 2002;132:866-76

Wounds and injuries
Examination of the role of abdominal computed tomography in the evaluation of victims of trauma with increased aspartate aminotransferase in the era of focused abdominal sonography for trauma (Stassen et al). 2002;132:642-7
Interferon-γ gene polymorphisms and the development of sepsis in patients with trauma (Stassen et al). 2002;132:289-92
Surgical management of duodenal injuries in children (Ladd et al). 2002;132:748-53